

OXFORD LAB FINE CHEM LLP

www.oxfordlabfinechem.com

Oxford[™]
Range of
Laboratory Chemicals

- Dehydrated Culture Media
- Plant Tissue Culture Media
- Oxycrome Chromogenic Media

PRICE LIST
20²⁵₂₆

With amendment valid from May 2026.

DEHYDRATED CULTURE MEDIA

Code No.	Product Name	HSN Code	GST (%)	Pack	Price
OLFC-100	A-1 Broth (A-1 Medium) for determination of faecal coliforms in water and foods by MPN technique	38210000	18	100gm	1800
				500gm	7500
OLFC-105	Acetate Differential Agar for the differentiation of Shigella species from those of the Escherichia genus	38210000	18	100gm	1100
				500gm	4500
OLFC-110	Acetobacter Agar (Glucose) for maintenance of dextrose positive Acetobacter species	38210000	18	100gm	1000
				500gm	3200
OLFC-115	Acetobacter Broth (Glucose) For glucose positive Acetobacter species	38210000	18	100gm	900
				500gm	3000
OLFC-120	Acetobacter Agar (Mannitol) for maintenance of mannitol positive Acetobacter species	38210000	18	100gm	1000
				500gm	3200
OLFC-125	Acetobacter Broth (Mannitol) for maintenance of mannitol positive Acetobacter species	38210000	18	100gm	900
				500gm	3000
OLFC-130	Actinomyces Agar for cultivation and maintenance of the anaerobic Actinomyces species.	38210000	18	100gm	1000
				500gm	3200
OLFC-135	Actinomyces Broth for the maintenance and cultivation of Actinomyces species	38210000	18	100gm	900
				500gm	3000
OLFC-140	Actinomycete Isolation Agar for isolation and propagation of Actinomycetes from soil and water	38210000	18	100gm	1000
				500gm	3800
OLFC-142	Aeromonas Isolation Medium Base for the selective differentiation and isolation of Aeromonas hydrophila from from clinical & environmental Specimens.	38210000	18	100gm	1400
				500gm	6500
OLFC-143	Aeromonas Selective Agar (BSIBG Agar) for Selective isolation of Aeromonas species from food	38210000	18	100gm	1400
				500gm	5300
OLFC-145	Aleksandrow Agar (KSB) for isolation and detection of potassium solubilizing bacteria from soil sample	38210000	18	100gm	1100
				500gm	4000
OLFC-150	Aleksandrow Broth (KSB) for enrichment of potassium solubilizing bacteria from soil samples	38210000	18	100gm	1000
				500gm	3400
OLFC-152	Algae Culture Agar for isolation and cultivation of algae from soil and water	38210000	18	100gm	1200
				500gm	4750
OLFC-153	Algae Culture Broth for isolation and cultivation of algae from soil and water	38210000	18	100gm	1000
				500gm	4400
OLFC-155	Alkaline Peptone Water for the cultivation of Vibrio species from sea foods and clinical specimens.	38210000	18	100gm	800
				500gm	3600
OLFC-156	Alkaline Saline Peptone Water (ASPW) for the enrichment of Vibrio species from food and water samples.	38210000	18	100gm	1100
				500gm	3600
OLFC-160	Alternative Thioglycollate Medium for sterility testing of turbid or viscous biological products	38210000	18	100gm	430
				500gm	1750
OLFC-165	Amies Transport Medium w/o Charcoal for the transport of swab specimens to prolong the survival of microorganisms	38210000	18	100gm	1050
				500gm	3800

OLFC-170	Anaerobic Agar for cultivation of anaerobic bacteria especially Clostridium species	38210000	18	100gm 500gm	1150 4400
OLFC-171	Anaerobic Thioglycollate Medium Base for the cultivation of anaerobes	38210000	18	100gm 500gm	1100 4200
OLFC-172	Anaerobic Tryptone Soya Agar for screening of anaerobes in cosmetics such as Talcum powder.	38210000	18	100gm 500gm	1200 5200
OLFC-175	Andrade Peptone Water as a basal medium to study fermentation reactions by adding carbohydrates	38210000	18	100gm 500gm	900 3450
OLFC-179	Antibiotic Assay Medium A for microbiological diffusion assay of several antibiotics in accordance with EP	38210000	18	100gm 500gm	1100 4300
OLFC-180	Antibiotic Assay Medium No.1 (Seed Agar) for microbiological assay of β -lactam and other Antibiotics	38210000	18	100gm 500gm	1100 4200
OLFC-185	Antibiotic Assay Medium No.2 (Base Agar) for microbiological assay of antibiotics	38210000	18	100gm 500gm	1200 4600
OLFC-190	Antibiotic Assay Medium No.3 (Assay Broth) for microbiological assay of antibiotics	38210000	18	100gm 500gm	900 3800
OLFC-195	Antibiotic Assay Medium No.5 (Streptomycin Assay Agar w/ Yeast Extract) for microbiological assay of Streptomycin using Bacillus subtilis	38210000	18	100gm 500gm	1000 4000
OLFC-197	Antibiotic Assay Medium No.8 (Base Agar w/Low pH) for microbiological assay of Oxytetracycline, tetracycline, Vancomycin etc.	38210000	18	100gm 500gm	1100 4200
OLFC-200	Antibiotic Assay Medium No.9 (Polymyxin Base Agar) as a base agar for assaying the products containing Polymyxin-B	38210000	18	100gm 500gm	1000 4000
OLFC-205	Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar) as a seed layer medium for assaying the products containing Polymyxin-B, Carbenicillin, Colistin & Colistimethate sodium.	38210000	18	100gm 500gm	1200 5000
OLFC-210	Antibiotic Assay Medium No.11 (Neomycin, Erythromycin Assay Agar) for microbiological assay of antibiotics	38210000	18	100gm 500gm	1100 4300
OLFC-220	Antibiotic Assay Medium No.19 for microbiological assay of Amphotericin B, Natamycin and Nystatin using Saccharomyces Cerevisiae	38210000	18	100gm 500gm	1000 4000
OLFC-230	Antibiotic Assay Medium No.32 for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of Bacillus subtilis ATCC 6633	38210000	18	100gm 500gm	1100 4000
OLFC-235	Antibiotic Assay Medium No.39 for microbiological assay of Neomycin as well as Streptomycin using Klebsiella pneumoniae as the test organism.	38210000	18	100gm 500gm	1100 4000
OLFC-240	Arginine Dihydrolase Broth for detection of arginine dihydrolase producing Microorganisms.	38210000	18	100gm 500gm	1300 4900
OLFC-245	Aseptic Packing Line Medium (Aseptic Commissioning Medium) an ideal medium used for validation of aseptic packing and filling lines	38210000	18	100gm 500gm	900 3800

OLFC-250	Ashby's Glucose Agar For the cultivation of Azotobacter species that can utilize mannitol as carbon and atmospheric nitrogen as nitrogen source.	38210000	18	100gm 500gm	1000 4200
OLFC-255	Ashby's Mannitol Agar for isolation of Azotobacter species from soil that can use mannitol and atmospheric nitrogen as source of carbon and nitrogen respectively	38210000	18	100gm 500gm	1200 4400
OLFC-260	Ashby's Mannitol Broth for isolation of Azotobacter species from soil	38210000	18	100gm 500gm	900 3800
OLFC-265	Ashby's Sucrose Agar for growth and maintenance of Azotobacter species from soil samples	38210000	18	100gm 500gm	1000 4000
OLFC-270	Ashby's Sucrose Broth for growth and maintenance of Azotobacter species	38210000	18	100gm 500gm	900 3200
OLFC-275	Asparagine Broth for identification and enumeration of Pseudomonas aeruginosa	38210000	18	100gm 500gm	1200 4000
OLFC-280	Asparagine Proline Broth for the cultivation of Pseudomonas aeruginosa by membrane filter technique	38210000	18	100gm 500gm	1000 4000
OLFC-282	Aspergillus Differentiation Medium Base for detection of aflatoxin producing Aspergillus species from food samples	38210000	18	100gm 500gm	1200 5000
OLFC-285	Azide Dextrose Broth for detection of faecal Streptococci in water, sewage, food and other materials	38210000	18	100gm 500gm	1100 4000
OLFC-290	Azospirillum Medium w/ Agar (Twin Pack) for the cultivation of Azospirillum species	38210000	18	100gm 500gm	1100 4000
OLFC-295	Azospirillum Medium w/o Agar (Twin Pack) for the cultivation of Azospirillum species	38210000	18	100gm 500gm	1000 3600
OLFC-300	Azotobacter Agar (Glucose) for isolation and cultivation of Glucose positive Azotobacter species from soil	38210000	18	100gm 500gm	1000 4000
OLFC-310	Azotobacter Broth (Glucose) for isolation, cultivation and identification of Glucose positive Azotobacter species from soil	38210000	18	100gm 500gm	900 3200
OLFC-315	Azotobacter Agar (Mannitol) for isolation, cultivation and identification of mannitol positive Azotobacter species from soil	38210000	18	100gm 500gm	1000 3600
OLFC-320	Azotobacter Broth (Mannitol) for cultivation of mannitol positive Azotobacter species from soil	38210000	18	100gm 500gm	900 3200
OLFC-322	Bacillus Cereus Agar Base for the isolation and enumeration of Bacillus cereus.	38210000	18	100gm 500gm	1000 4300
OLFC-325	Bacillus Differentiation Agar for the differentiation between Bacillus cereus and Bacillus subtilis based on mannitol fermentation.	38210000	18	100gm 500gm	1500 4900
OLFC-330	Bacillus Medium for the cultivation of Bacillus licheniformis	38210000	18	100gm 500gm	900 3000

OLFC-335	Baird Parker Agar Base for isolation and enumeration of coagulase positive Staphylococci from food and other substance	38210000	18	100gm	1100
				500gm	4400
OLFC-337	BAT Agar (Alicyclobacillus Agar) for the isolation of Alicyclobacillus species in fruit juices	38210000	18	100gm	1400
				500gm	5700
OLFC-340	Bifidobacterium Agar for the cultivation and maintenance of Bifidobacterium species	38210000	18	100gm	1300
				500gm	4900
OLFC-342	Bi.G.G.Y Agar (Nickerson Medium) for the detection and isolation of Candida species	38210000	18	100gm	1000
				500gm	4000
OLFC-345	Bile Esculin Agar for the isolation and presumptive identification of group D Streptococci	38210000	18	100gm	2000
				500gm	8500
OLFC-350	Bile Esculin Agar Base w/o Esculin for differential & presumptive identification of group D Streptococci from food & pharma products	38210000	18	100gm	1600
				500gm	5000
OLFC-355	Bile Esculin Azide Agar for selective isolation and presumptive identification of faecal Streptococci	38210000	18	100gm	2000
				500gm	8500
OLFC-360	Bile Salt Agar for isolation and enumeration of bile tolerant enteric bacilli	38210000	18	100gm	1000
				500gm	4600
OLFC-370	Bismuth Sulphite Agar for selective isolation of Salmonellae from faeces, urine, sewage and other materials	38210000	18	100gm	1000
				500gm	3700
OLFC-375	Blood Agar Base (Infusion Agar) for isolation and cultivation of various fastidious pathogenic microorganisms after addition of blood	38210000	18	100gm	900
				500gm	3500
OLFC-376	Blood Agar Base No. 2 For the isolation, cultivation and detection of haemolytic activity of streptococci, pneumococci & other fastidious microorganisms.	38210000	18	100gm	1000
				500gm	4000
OLFC-380	Brain Heart Infusion Agar (BHI Agar) for cultivation of fastidious pathogenic bacteria, yeasts and molds from clinical & non clinical samples.	38210000	18	100gm	800
				500gm	3550
OLFC-385	Brain Heart Infusion Broth for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations	38210000	18	100gm	750
				500gm	3400
OLFC-390	Brilliant Green Agar for the selective isolation of Salmonella other than S.typhi from faeces, food and dairy products.	38210000	18	100gm	800
				500gm	3200
OLFC-394	Brilliant Green Bile Agar for enumeration of coliform bacteria in water, sewage and foods	38210000	18	100gm	800
				500gm	3500
OLFC-395	Brilliant Green Bile Broth 2% (Brilliant Green Lactose Bile Broth 2%) for detection & confirmation of coliform bacteria in water, waste water, foods, milk & dairy products	38210000	18	100gm	700
				500gm	3200
OLFC-400	Brilliant Green Phenol Red Lactose Agar for detection and confirmation of Salmonella species from water samples	38210000	18	100gm	900
				500gm	3300

OLFC-402	Bromo Cresol Purple Broth Base (Yeast Fermentation Broth Base) for differentiation of various microorganisms based on their fermentation of specific carbohydrates	38210000	18	100gm	1200
				500gm	4800
OLFC-405	Brucella Agar Base for selective isolation & cultivation of Brucella or Campylobacter species from clinical as well as nonclinical specimens	38210000	18	100gm	1000
				500gm	4000
OLFC-407	Brucella Agar Base w/ 1.0% Dextrose for cultivation of Brucella species and for isolation and subculture of anaerobes by adding blood	38210000	18	100gm	900
				500gm	3500
OLFC-410	Buffered Glucose Broth (MR-VP Medium) for performance of Methyl Red & Voges Proskauer tests based in differentiation of coliaerogenes group	38210000	18	100gm	700
				500gm	2850
OLFC-415	Buffered Listeria Enrichment Broth Base (BLE Broth Base) for selective isolation of Listeria monocytogenes	38210000	18	100gm	1500
				500gm	6250
OLFC-420	Buffered Peptone Water for pre-enrichment of injured Salmonella species from foods prior to selective enrichment & isolation	38210000	18	100gm	600
				500gm	2700
OLFC-421	Buffered Peptone Water (ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017) for pre enrichment of injured Salmonella species prior to selective enrichment and isolation	38210000	18	100gm	800
				500gm	3300
OLFC-425	Buffered Sodium Chloride- Peptone solution pH 7.0 (Harmonized) to be used as diluent in pharmaceutical testing according to harmonized methods	38210000	18	100gm	800
				500gm	3100
OLFC-430	Burkholderia Cepacia Agar Base for isolation of Burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis & other specimens	38210000	18	100gm	1000
				500gm	4500
OLFC-435	Bushnell Haas Agar for examination of fuels for microbial contamination and also for examine hydrocarbon deterioration by bacteria	38210000	18	100gm	1400
				500gm	4500
OLFC-440	Bushnell Haas Broth for examination of fuels for microbial contamination and also for examine hydrocarbon deterioration by bacteria	38210000	18	100gm	1000
				500gm	4400
OLFC-445	Candida Agar (Candida Isolation Agar) for the isolation and differentiation of Candida albicans	38210000	18	100gm	1200
				500gm	4200
OLFC-447	Candida BCG Agar Base for primary isolation and identification of Candida species	38210000	18	100gm	1300
				500gm	4700
OLFC-450	Carbohydrate Consumption Broth Base for the cultivation and differentiation of Listeria species	38210000	18	100gm	1100
				500gm	4200
OLFC-452	Carrot Agar for sporangial production and study of mating techniques of Phytophthora spp.	38210000	18	100gm	1400
				500gm	5500
OLFC-455	Cary-Blair Medium Base (Transport Medium w/o Charcoal) for the collection and shipment of clinical specimen	38210000	18	100gm	1050
				500gm	4000

OLFC-460	Casein Hydrolysate Yeast Extract Broth (Casamino acid yeast extract broth) for the cultivation of <i>Bacillus cereus</i> to enhance toxin production and use in the Enterotoxins Test	38210000	18	100gm 500gm	1000 3500
OLFC-470	Casitose Yeast Extract Broth (CAYE) for cultivation of <i>Vibrio cholerae</i> cultures while testing their enterotoxigenicity	38210000	18	100gm 500gm	1000 4000
OLFC-475	Cetrimide Agar Base for the selective isolation of <i>Pseudomonas aeruginosa</i> from clinical samples	38210000	18	100gm 500gm	800 3500
OLFC-480	Cetrimide Agar Base (Harmonized) for the selective isolation and identification of <i>Pseudomonas aeruginosa</i> in pharmaceutical testing according to harmonized methods.	38210000	18	100gm 500gm	850 3600
OLFC-485	Cetrimide Broth for the selective enrichment of <i>Pseudomonas aeruginosa</i>	38210000	18	100gm 500gm	800 3400
OLFC-490	Chapman Stone Agar for selective isolation of <i>Staphylococci</i> causing food poisoning	38210000	18	100gm 500gm	1100 4200
OLFC-495	Chloramphenicol Yeast Glucose Agar for isolation and selective enumeration of yeasts and molds in milk and milk products	38210000	18	100gm 500gm	1000 4500
OLFC-500	Chocolate Agar Base for the isolation and cultivation of fastidious microorganisms like <i>Neisseria gonorrhoeae</i>	38210000	18	100gm 500gm	1100 4400
OLFC-502	Citrate Agar for cultivation of iron bacteria from soil	38210000	18	100gm 500gm	1000 3500
OLFC-504	C.L.E.D. Agar w/ Andrade Indicator (Cystine Lactose Electrolyte Deficient) for isolation and differentiation of microorganisms based on lactose fermentatio	38210000	18	100gm 500gm	900 3900
OLFC-505	C.L.E.D. Agar w/ Bromo Thymol Blue (CLED Agar) (Brolacin Agar) for isolation and differentiation of urinary pathogens via lactose fermentation	38210000	18	100gm 500gm	1000 4000
OLFC-510	OXYcrome Chromogenic <i>Bacillus</i> Agar for the isolation and differentiation between various species of <i>Bacillus</i> by chromogenic method	38210000	18	100gm 500gm	1500 6000
OLFC-515	OXYcrome Chromogenic <i>Candida</i> Differential Agar Base for selective and differential medium for rapid isolation and identification of <i>Candida</i> species from mixed cultures	38210000	18	100gm 500gm	5000 21500
OLFC-520	OXYcrome Chromogenic Coliform Agar for determination of coliforms and <i>Escherichia coli</i> in water samples	38210000	18	100gm 500gm	7500 32000
OLFC-521	OXYcrome Chromogenic Coliform Agar w/ SLS for simultaneous detection of total coliforms and <i>Escherichia coli</i> in water and foods	38210000	18	100gm 500gm	5600 22600
OLFC-523	OXYcrome Chromogenic <i>Cronobacter</i> Isolation Agar (CCI Agar) recommended for the isolation and identification of <i>Cronobacter sakazakii</i> from food product	38210000	18	100gm 500gm	3900 15200

OLFC-525	OXYcrome Chromogenic E Coli Agar for the detection and enumeration of Escherichia coli in foods without further confirmation on membrane filter or by indole reagent	38210000	18	100gm	2800
				500gm	11600
OLFC-530	OXYcrome Chromogenic ESBL Agar Base for the selective isolation of ESBL producing organisms	38210000	18	100gm	3400
				500gm	12000
OLFC-532	OXYcrome Chromogenic Listeria Monocytogenes Differential Agar Base for selective identification and differentiation of Listeria monocytogenes	38210000	18	100gm	3000
				500gm	11000
OLFC-533	OXYcrome Chromogenic Listeria Agar Base for selective identification and differentiation of Listeria species.	38210000	18	100gm	3200
				500gm	10500
OLFC-534	OXYcrome Chromogenic Listeria Agar Base (Modified) for selective identification and differentiation of Listeria species	38210000	18	100gm	3100
				500gm	10600
OLFC-535	OXYcrome Chromogenic Salmonella Agar for the identification and differentiation of Salmonella species	38210000	18	100gm	12500
				500gm	56800
OLFC-537	OXYcrome Chromogenic Tryptone Bile Glucuronide Agar (TBX Agar) for the enumeration of Escherichia coli from food samples, animal feed and water samples	38210000	18	100gm	2400
				500gm	10000
OLFC-540	OXYcrome Chromogenic UTI Agar for the identification and confirmation of microorganisms causing urinary tract infections	38210000	18	100gm	3100
				500gm	11000
OLFC-545	OXYcrome Chromogenic UTI Agar, Modified for the enumeration and differentiation of enteric pathogens in urinary tract infections	38210000	18	100gm	2200
				500gm	8500
OLFC-547	OXYcrome Chromogenic Vibrio Agar for selective isolation and differentiation of Vibrio species	38210000	18	100gm	4000
				500gm	13500
OLFC-550	Clostridial Agar for selective isolation of pathogenic Clostridia from mixed flora	38210000	18	100gm	1150
				500gm	4500
OLFC-552	Coagulase Mannitol Broth Base for detection of coagulase production and mannitol fermentation in differentiation of Staphylococci	38210000	18	100gm	950
				500gm	4200
OLFC-553	Coliform Broth for isolation and cultivation of coliform organisms from milk and milk products	38210000	18	100gm	950
				500gm	3800
OLFC-554	Coliform PA Broth for determination of presence or absence of coliform bacteria in treated water	38210000	18	100gm	1100
				500gm	4400
OLFC-555	Columbia Agar (Harmonized) for the detection of Clostridium sporogenes from pharmaceutical products	38210000	18	100gm	1100
				500gm	4100
OLFC-560	Columbia Agar for the detection of Clostridium sporogenes from pharmaceutical products	38210000	18	100gm	1000
				500gm	4000
OLFC-565	Columbia Blood Agar Base w/ Hemin an enriched base for preparation of chocolate and blood agar and for various selective & identification media.	38210000	18	100gm	1800
				500gm	8500

OLFC-580	Corn Meal Agar for production of chlamydospores by <i>Candida albicans</i> and a maintenance of fungal stock cultures	38210000	18	100gm	900
				500gm	3900
OLFC-585	Corn Meal Agar w/ Tween 80 for use in qualitative procedures as general purpose media for the cultivation of fungi	38210000	18	100gm	1000
				500gm	3600
OLFC-590	Czapek Dox Agar a semisynthetic medium used for general cultivation of fungi, yeasts and soil bacteria	38210000	18	100gm	900
				500gm	3200
OLFC-595	Czapek Dox Agar w/ Chloramphenicol a semisynthetic medium used for general cultivation of fungi, yeasts and soil bacteria	38210000	18	100gm	1000
				500gm	3400
OLFC-600	Czapek Dox Broth semisynthetic medium for cultivation of fungi capable of utilizing sodium nitrate as the sole source of nitrogen	38210000	18	100gm	800
				500gm	2900
OLFC-605	Czapek Dox Broth w/ Chloramphenicol for the general cultivation of fungi from water samples.	38210000	18	100gm	750
				500gm	2800
OLFC-610	Czapek Yeast Extract Agar for the cultivation and maintenance of <i>Aspergillus niger</i> .	38210000	18	100gm	1400
				500gm	5000
OLFC-615	Deoxycholate Citrate Agar for the selective isolation and cultivation of enteric pathogens such as <i>Salmonella</i> & <i>Shigella</i> species	38210000	18	100gm	850
				500gm	3550
OLFC-617	Deoxycholate Lactose Agar for isolation and enumeration of coliforms in water, milk and dairy products	38210000	18	100gm	1000
				500gm	3950
OLFC-618	Dextrose agar for cultivation of wide variety of microorganisms	38210000	18	100gm	1050
				500gm	4100
OLFC-620	Dextrose Tryptone Agar for detection and enumeration of mesophilic and thermophilic aerobic organisms in food spoilage	38210000	18	100gm	1250
				500gm	4700
OLFC-625	Dey-Engley Neutralizing Agar for disinfectant testing, wherein neutralization agent is important for determining its bactericidal activity	38210000	18	100gm	1500
				500gm	5800
OLFC-630	Dey-Engley Neutralizing Broth for neutralizing and testing antiseptics and disinfectants	38210000	18	100gm	1300
				500gm	4800
OLFC-632	Dey-Engley Neutralizing Broth w/o Bromo Cresol Purple for neutralization of antiseptics and disinfectants in determining its bactericidal activity	38210000	18	100gm	1300
				500gm	4800
OLFC-633	Diagnostic Sensitivity Test Agar (DST Agar) for antibiotic sensitivity testing of fastidious pathogens like <i>Neisseria</i> , <i>Streptococcus</i> & <i>Haemophilus</i> species with blood enrichment	38210000	18	100gm	1350
				500gm	5000
OLFC-634	Dichloran Glycerol Agar Base w/ Chloramphenicol for selective isolation and enumeration of yeasts and moulds from food samples	38210000	18	100gm	1000
				500gm	4300
OLFC-635	Dichloran Rose Bengal Chloramphenicol Agar (DRBC Agar) for selective isolation and enumeration of yeasts and moulds from food samples	38210000	18	100gm	1250
				500gm	4800

OLFC- 640	Differential Reinforced Clostridial Broth Base For cultivation of Clostridia from water samples.	38210000	18	100gm 500gm	950 4200
OLFC- 642	Diluting Fluid A for sterility testing of pharma products	38210000	18	100gm 500gm	850 3300
OLFC- 643	Diluting Fluid D for sterility testing of pharma products	38210000	18	100gm 500gm	950 3600
OLFC- 645	DNase Test Agar Base for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic Staphylococci	38210000	18	100gm 500gm	2700 8000
OLFC- 646	DNase Test Agar Base w/o DNA for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic Staphylococci	38210000	18	100gm 500gm	6900 30000
OLFC-655	EC Broth for selective enumeration of faecal as well as non faecal coliforms in water	38210000	18	100gm 500gm	1050 3700
OLFC-660	EE Broth, Mossel (Enterobacteriaceae enrichment Broth) (Harmonized) for selective enrichment of Enterobacteriaceae in various bacteriological examination of foods	38210000	18	100gm 500gm	1000 4300
OLFC-665	EE Broth, Mossel for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods as well as animal feed stuffs	38210000	18	100gm 500gm	950 4200
OLFC-670	EMB Agar (Eosine Methylene Blue Agar) for differential isolation of gram-negative enteric bacteria from clinical and non-clinical samples	38210000	18	100gm 500gm	700 3000
OLFC-672	EMB Agar, Levine for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	38210000	18	100gm 500gm	850 3500
OLFC-675	EMB Broth (Eosine Methylene Blue Broth) for the isolation of gram-negative enteric bacteria from clinical and non- clinical samples	38210000	18	100gm 500gm	750 3000
OLFC-680	Endo Agar for confirmation of members of coliform group from clinical as well as non-clinical specimens	38210000	18	100gm 500gm	850 3400
OLFC-690	Ethyl Violet Azide Broth (E.V.A. Broth) for selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water	38210000	18	100gm 500gm	950 3800
OLFC-700	Ethyl Violet Azide Dextrose Agar for detecting and confirming Streptococci and faecal pollution indication in water	38210000	18	100gm 500gm	1100 4600
OLFC-710	Fluid Selenite Cystine Medium (Selenite Cystine Medium) (Twin Pack) an enrichment medium for isolation of Salmonella species from food, dairy ,sanitary clinical samples	38210000	18	100gm 500gm	1200 4600
OLFC-715	Fluid Thioglycollate Medium for the sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles	38210000	18	100gm 500gm	400 1800

OLFC-720	Fraser Broth Base recommended selective, enrichment medium for the isolation of <i>Listeria</i> species	38210000	18	100gm	1250
				500gm	4600
OLFC-722	Fraser Broth Base, Modified (Half Fraser Broth) for the selective enrichment of <i>Listeria</i> species from food products	38210000	18	100gm	1600
				500gm	5600
OLFC-725	Fraser Secondary Enrichment Broth Base for isolation, cultivation and enrichment of <i>Listeria monocytogenes</i> from foods and other environmental samples	38210000	18	100gm	1500
				500gm	5500
OLFC-730	Fungal Agar (Mycological Agar) for cultivation and maintenance of fungi	38210000	18	100gm	1600
				500gm	5600
OLFC-733	Fungal Broth (Mycological Broth) for cultivation of fungi	38210000	18	100gm	900
				500gm	3900
OLFC-735	Fungal Broth w/Low pH (Mycological Broth w/Low pH) for the selective enumeration and cultivation of saprophytic fungi & aciduric bacteria	38210000	18	100gm	950
				500gm	4000
OLFC-740	Gelatin Agar for the cultivation and identification of <i>Vibrio</i> species	38210000	18	100gm	1250
				500gm	4800
OLFC-745	Gelatin Phosphate Salt Agar (GPS Agar) for the cultivation and characterization of <i>Vibrio cholerae</i> from foods	38210000	18	100gm	1200
				500gm	4400
OLFC-747	Giolitti-Cantoni Broth Base for selective enrichment of <i>Staphylococcus aureus</i> from foods	38210000	18	100gm	1000
				500gm	4200
OLFC-750	Glucose Agar (Dextrose Agar) for differentiation of Enterobacteriaceae in urine, water and food samples	38210000	18	100gm	950
				500gm	3500
OLFC-757	Glucose Asparagine Agar for the cultivation of <i>Streptomyces</i> species	38210000	18	100gm	1050
				500gm	3300
OLFC-760	Glucose Broth (Dextrose Broth) for the cultivation of a wide variety of microorganisms	38210000	18	100gm	800
				500gm	3000
OLFC-763	Glucose OF Medium for the determination of oxidative and fermentative metabolism of carbohydrates by gram-negative bacteria	38210000	18	100gm	1000
				500gm	3900
OLFC-764	Glucose Peptone Agar (Dextrose Peptone Agar) for general cultivation of microorganisms	38210000	18	100gm	1200
				500gm	4400
OLFC-410	Glucose Phosphate Broth (MR-VP Medium) for performance of Methyl Red and Voges Proskauer tests based in differentiation of coliaerogenes group	38210000	18	100gm	700
				500gm	2850
OLFC-765	GN Broth (Medium 11) for enrichment of <i>Shigella</i> Spp. from pharmaceutical products	38210000	18	100gm	700
				500gm	2800
OLFC-767	GYM <i>Streptomyces</i> Medium an agar-based medium for cultivating and isolating <i>Streptomyces</i> species	38210000	18	100gm	1300
				500gm	5200
OLFC-769	H.S. Vaccine Medium (Standard Nutrient Broth) for large scale cultivation of bacteria for Vaccine production	38210000	18	100gm	700
				500gm	2800
OLFC-770	Haemophilus Test Agar Base for the susceptibility testing of <i>Haemophilus influenzae</i>	38210000	18	100gm	1400
				500gm	5400
OLFC-722	Half Fraser Broth (Fraser Broth Base, Modified) for the selective enrichment of <i>Listeria</i> species from foods products	38210000	18	100gm	1600
				500gm	5600

OLFC-775	Hartley's Digest Broth for cultivation of various bacteria from blood especially Streptococci & Corynebacterium diphtheriae	38210000	18	100gm	1200
				500gm	4600
OLFC-780	Hektoen Enteric Agar for the differential & selective isolation of Salmonella and Shigella spp. from pathological specimens	38210000	18	100gm	1000
				500gm	4000
OLFC-785	Hemorrhagic Coli (HC) Agar for isolation and enumeration with an enzyme labeled monoclonal antibody of Escherichia coli	38210000	18	100gm	1200
				500gm	4000
OLFC-788	Hugh Leifson Glucose Medium for differentiation of Staphylococci from Micrococci by anaerobic fermentation of glucose	38210000	18	100gm	1000
				500gm	4000
OLFC-790	Hugh Leifson Medium for the detecting aerobic and anaerobic breakdown of glucose	38210000	18	100gm	900
				500gm	3900
OLFC-795	Iron Sulphite Agar for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods	38210000	18	100gm	1000
				500gm	3600
OLFC-800	Isolation Medium For Iron Bacteria for isolation of iron bacteria, especially those from Sphaerotilus-Leptothrix group	38210000	18	100gm	1000
				500gm	4000
OLFC-805	Jensen's Medium (Jensen's Agar) for the detection and cultivation of nitrogen fixing bacteria	38210000	18	100gm	900
				500gm	3800
OLFC-810	Jensen's Broth for detection and cultivation of nitrogen fixing bacteria	38210000	18	100gm	800
				500gm	3600
OLFC-815	KF Streptococcal Agar Base for selective isolation and enumeration of faecal Streptococci in surface water by direct plating or by membrane filter technique	38210000	18	100gm	1000
				500gm	3800
OLFC-820	King's Medium B Base for the non-selective isolation, cultivation and pigment production by Pseudomonas species	38210000	18	100gm	800
				500gm	3600
OLFC-825	King's Medium B Broth for the detection of pigment production by Pseudomonas species	38210000	18	100gm	700
				500gm	3200
OLFC-830	Kligler Iron Agar for the differentiation and identification of gram-negative bacilli based on the fermentation of dextrose and lactose and production of H ₂ S.	38210000	18	100gm	800
				500gm	3000
OLFC-835	Koser Citrate Medium for differentiation of Escherichia coli and Enterobacter aerogenes based on citrate utilization	38210000	18	100gm	800
				500gm	3000
OLFC-837	Lactobacillus Selection Agar Base for isolation and enumeration of Lactobacillus from foods	38210000	18	100gm	1300
				500gm	4900
OLFC-840	Lactose Agar w/ Bromothymol Blue a selective medium used for the isolation of Gram-negative bacteria from urine & faeces	38210000	18	100gm	1000
				500gm	4000
OLFC-842	Lactose Blue Agar (B.T.B. Lactose Agar Modified) for differentiation of lactose fermenting and non-fermenting bacteria of Enterobacteriaceae	38210000	18	100gm	1000
				500gm	4000

OLFC-845	Lactose Broth (Fluid Lactose Medium) for detection of coliform bacteria in water and food products	38210000	18	100gm 500gm	700 2400
OLFC-850	Lauryl Sulphate Broth (Lauryl Tryptose Broth) for detection and enumeration of coliform bacteria in water, waste water, dairy products & other foods samples	38210000	18	100gm 500gm	650 2900
OLFC-854	Lethen Agar for determination of phenol coefficient of quaternary ammonium compounds using E.coli or Staphylococcus aureus	38210000	18	100gm 500gm	1000 3800
OLFC-855	Lethen Agar, Modified for screening cosmetic products for microbial contamination	38210000	18	100gm 500gm	1400 5400
OLFC-859	Lethen Broth for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus	38210000	18	100gm 500gm	1000 3800
OLFC-860	Lethen Broth, Modified for screening cosmetic products for microbial contamination	38210000	18	100gm 500gm	1300 5000
OLFC-862	Linden Grain Medium for Media Fill process simulation for beverage bottling, to test for low acid beverage spoiling bacteria	38210000	18	100gm 500gm	800 3000
OLFC-865	Listeria Enrichment Broth (Twin Pack) for selective enrichment of Listeria monocytogenes from clinical specimens	38210000	18	100gm 500gm	1400 5000
OLFC-870	Listeria Enrichment Broth, Modified for selective enrichment of Listeria species	38210000	18	100gm 500gm	1500 6800
OLFC-875	Listeria Enrichment Medium Base (UVM Medium) for the selective isolation and cultivation of Listeria monocytogenes from clinical specimens	38210000	18	100gm 500gm	1600 6500
OLFC-877	Listeria Identification Agar Base (PALCAM Agar Base) for detection and enumeration of Listeria monocytogens from food and animal feeds	38210000	18	100gm 500gm	1800 7600
OLFC-880	Listeria Oxford Medium Base for isolation of Listeria species from pathological samples	38210000	18	100gm 500gm	1900 8400
OLFC-882	Litmus Milk (Litmus SM Broth) for determination and maintenance of Lactobacilli	38210000	18	100gm 500gm	1000 3900
OLFC-885	Loeffler Medium Base and confirmation of chromogenesis, proteolysis and the production of ascospores	38210000	18	100gm 500gm	1200 5500
OLFC-890	Lowenstein Jensen Medium Base (L.J. Medium) for the isolation and cultivation of Mycobacterium species	38210000	18	100gm 500gm	800 3500
OLFC-895	Luria Bertani Agar, Miller (Miller Luria Bertani Agar) for the cultivation and maintenance of recombinant strains of Escherichia coli	38210000	18	100gm 500gm	950 3600
OLFC-900	Luria Bertani Broth, Miller (Miller Luria Bertani Broth) for maintaining and propagating Escherichia coli in molecular microbiology procedures	38210000	18	100gm 500gm	900 3400
OLFC-901	Luria Bertani Broth w/o Sodium Chloride for maintaining and propagating Escherichia coli in molecular microbiology procedures.	38210000	18	100gm 500gm	1100 4000

OLFC-905	Lysine Decarboxylase Broth for distinguishing Salmonella serotype Arizonae from the Bethesda Ballerup group of Enterobacteriaceae	38210000	18	100gm	900
				500gm	3200
OLFC-910	Lysine Iron Agar for the differentiation of enteric organisms, especially Salmonella, based upon lysine decarboxylation/ deamination and H2S production.	38210000	18	100gm	800
				500gm	3000
OLFC-915	Lysine Lactose Broth for the determination of lysine decarboxylase activity of lactose nonfermenting members of Enterobacteriaceae specially Salmonellae	38210000	18	100gm	1200
				500gm	4500
OLFC-920	M-Endo Agar, LES for the enumeration of coliforms in water using a two step membrane filter technique	38210000	18	100gm	800
				500gm	3800
OLFC-925	M-Endo Broth MF (M-Coliform Broth) (MF Endo Medium) for the estimation of coliforms in water samples using membrane filter technique	38210000	18	100gm	1300
				500gm	5000
OLFC-930	M-Enterococcus Agar Base for the isolation & enumeration of Enterococci in sewage, water & foods by membrane filter technique	38210000	18	100gm	1100
				500gm	4400
OLFC-935	M-FC Agar Base for detection and enumeration of faecal coliforms by membrane filter technique at higher temp	38210000	18	100gm	1300
				500gm	4700
OLFC-937	M-PA Agar Base for the detection and isolation of Pseudomonas aeruginosa by membrane filter technique	38210000	18	100gm	1300
				500gm	4700
OLFC-938	M17 Agar Base for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	38210000	18	100gm	1200
				500gm	4800
OLFC-940	MacConkey Agar w/o CV, NaCl & w/ 0.15% Bile Salts for the isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	38210000	18	100gm	800
				500gm	2800
OLFC-945	MacConkey Agar Base, Harmonized for selective isolation and differentiation of Escherichia coli and coliform bacteria in pharmaceutical testing according to harmonized methods	38210000	18	100gm	850
				500gm	3400
OLFC-950	MacConkey Agar w/ 0.15% Bile Salts, NaCl w/o CV For isolation and detection of coliforms and enteric pathogens.	38210000	18	100gm	800
				500gm	3000
OLFC-955	MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl other enteric bacteria from clinical samples and water, sewage, food products etc.	38210000	18	100gm	800
				500gm	3000
OLFC-1000	MacConkey Agar w/o CV w/0.5% Bile Salt for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	38210000	18	100gm	800
				500gm	3000
OLFC-1005	MacConkey Agar w/o CV & NaCl, w/0.5% Bile Salt for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	38210000	18	100gm	750
				500gm	2800
OLFC-1010	MacConkey Agar w/o CV & NaCl, w/ 0.5% Sodium Taurocholate for selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples	38210000	18	100gm	800
				500gm	3400

OLFC-1015	MacConkey Agar w/o CV, w/0.15% Bile Salt for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	38210000	18	100gm	800
				500gm	3000
OLFC-1020	MacConkey Agar w/o CV, w/ 1.2% Agar for the selective isolation & differentiation of lactose fermenting & lactose non-fermenting enteric bacteria	38210000	18	100gm	800
				500gm	3000
OLFC-1025	MacConkey Agar w/o CV, w/0.5% Sodium Taurocholate, NaCl for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	38210000	18	100gm	700
				500gm	3000
OLFC-1030	MacConkey Agar W/ Bromothymol Blue for detection of lactose fermenting enteric bacteria	38210000	18	100gm	800
				500gm	3400
OLFC-1035	MacConkey Broth w/BCP for presumptive identification of coliforms from water, milk and foods	38210000	18	100gm	650
				500gm	2800
OLFC-1040	MacConkey Broth W/BCP and NaCl for the presumptive identification of coliforms from water, milk and foods products	38210000	18	100gm	700
				500gm	2600
OLFC-1045	MacConkey Broth w/BCP (Double Strength) for the presumptive identification of coliforms from water, milk and foods products	38210000	18	100gm	850
				500gm	3200
OLFC-1050	MacConkey Broth w/BCP (Harmonized) for presumptive identification of coliforms from water, milk and foods products	38210000	18	100gm	600
				500gm	3000
OLFC-1055	MacConkey Broth w/ Neutral Red for the selective enrichment and enumeration of coliforms from water	38210000	18	100gm	700
				500gm	2800
OLFC-1060	MacConkey Broth w/Neutral Red (Double Strength) for the primary isolation of coliforms from large samples such as water or waste water	38210000	18	100gm	800
				500gm	3000
OLFC-1061	M-MacConkey Broth for detection of lactose fermenting & nonfermenting enteric bacteria using membrane filter technique	38210000	18	100gm	1500
				500gm	4500
OLFC-1062	MacConkey Sorbitol Agar Base for isolation & identification of enteropathogenic Escherichia coli strains associated with infant diarrhoea.	38210000	18	100gm	1000
				500gm	4200
OLFC-1065	Malachite Green Broth for cultivation and selective enrichment of Pseudomonas Aeruginosa	38210000	18	100gm	900
				500gm	3500
OLFC-1070	Malonate Broth, Ewing Modified for the differentiation of members of Enterobacteriaceae on the basis of malonate utilization	38210000	18	100gm	4800
OLFC-1075	Malt Extract Agar Base for detection and cultivation of Yeasts	38210000	18	100gm	1100
				500gm	5800
OLFC-1080	Malt Extract Broth Base for the detection and enumeration of yeasts, molds & aciduric microorganisms	38210000	18	100gm	1200
				500gm	4800
OLFC-1082	Mannitol Egg Yolk Polymyxin Agar for the enumeration of B.cereus in foodstuffs and other samples	38210000	18	100gm	1150
				500gm	5000

OLFC-1083	Mannitol Lysine Agar (Mannitol Lysine Crystal Violet Brilliant Green Agar) for selective isolation of Salmonellae other than Salmonella typhi and Salmonella paratyphi A	38210000	18	100gm	1300
				500gm	5200
OLFC-1085	Mannitol Motility Test Medium for studying mannitol fermentation and motility of bacteria	38210000	18	100gm	1200
				500gm	4800
OLFC-1090	Mannitol Salt Agar Base for selective isolation of pathogenic Staphylococci from clinical and non-clinical samples	38210000	18	100gm	800
				500gm	3200
OLFC-1093	Mannitol Salt Agar (Harmonized) for the isolation and cultivation of Staphylococci in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	38210000	18	100gm	800
				500gm	3200
OLFC-1095	Mannitol Salt Broth for the selective isolation and cultivation of staphylococci	38210000	18	100gm	1000
				500gm	3800
OLFC-1100	Mannitol Selenite Broth w/Brilliant Green (Twin Pack) for the enrichment of Salmonellae from faeces, food and other materials	38210000	18	100gm	1500
				500gm	5500
OLFC-1103	Martin Lewis Agar Base For the isolation and cultivation of Neisseria species from clinical specimens.	38210000	18	100gm	900
				500gm	3500
OLFC-1104	Maximum Recovery Diluent a protective and isotonic diluent used for maximal recovery of microorganisms	38210000	18	100gm	1000
				500gm	3800
OLFC-1105	M-CP Agar Base for the isolation and enumeration of Clostridium perfringens from water samples using membrane filtration technique	38210000	18	100gm	1400
				500gm	5500
OLFC-1107	Meat Extract Agar for routine cultivation of non fastidious bacteria	38210000	18	100gm	1600
				500gm	6300
OLFC-1120	MGYP Agar for isolation and cultivation of wild yeasts in the brewing industry	38210000	18	100gm	900
				500gm	3500
OLFC-1125	MGYP Agar With Copper for isolation and cultivation of wild yeast in the brewing industry	38210000	18	100gm	1000
				500gm	3600
OLFC-1126	Microbial Content Test Agar (Tryptone soya agar w/Lecithin and Tween 80) for detection & enumeration of microorganisms present on the surfaces of sanitary importance	38210000	18	100gm	1100
				500gm	4300
OLFC-1127	Middlebrook 7H9 Agar Base for cultivation and sensitivity testing of Mycobacterium tuberculosis	38210000	18	100gm	1100
				500gm	4200
OLFC-1128	Middlebrook 7H10 Agar Base for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis	38210000	18	100gm	1200
				500gm	4400
OLFC-1129	Milk Agar (Modified Plate Count Agar) for enumeration of bacteria in milk and milk products, rinse waters and ice creams etc.	38210000	18	100gm	1200
				500gm	4600
OLFC-1130	Milk Agar (Brown and Scott, Modified) (Twin Pack) for the enumeration of Pseudomonas aeruginosa in waters	38210000	18	100gm	1300
				500gm	4800

OLFC-1132	Milk Agar w/Cetrimide (Twin Pack) (Modified Pseudomonas Selective Agar with Cetrimide) for detection and enumeration of Pseudomonas aeruginosa in water	38210000	18	100gm 500gm	1200 5000
OLFC-1135	Mineral Modified Glutamate Broth Base (Double Strength) for the enumeration of coliform bacteria in water and wastewater	38210000	18	100gm 500gm	1200 4600
OLFC-1137	Minimal Glucose Agar for Ames Test to determine the mutagenic potential of chemicals and drugs	38210000	18	100gm 500gm	2000 7500
OLFC-1140	Mitis Salivarius Agar Base for isolation of Streptococci from mixed cultures, especially Streptococcus mitis, Streptococcus salivarius & Enterococcus faecalis	38210000	18	100gm 500gm	1550 4400
OLFC-1145	MIU Medium Base (Motility Urea Indole Agar Base) for detection of motility, urease and indole production.	38210000	18	100gm 500gm	1200 4500
OLFC-1147	Modified Rappaport Vassiliadis Medium as a selective enrichment medium for the isolation of Salmonella species from food & environmental specimens.	38210000	18	100gm 500gm	1300 4500
OLFC-1149	Modified Semisolid Rappaport Vassiliadis Medium Base for detection of motile Salmonella species from food, faeces and environmental specimens	38210000	18	100gm 500gm	1300 5200
OLFC-1155	Modified Soybean Bile Broth Base for the detection of Escherichia coli O157:H7 from food and animal feed samples	38210000	18	100gm 500gm	800 3000
OLFC-1160	Modified Tryptone Soya Broth Base w/o Novobiocin (m-TSB) (Soyabean bile broth w/o Novobiocin) for the selective enrichment of Escherichia coli O157 from food or faecal samples	38210000	18	100gm 500gm	3000 13000
OLFC-1165	Modified Tryptone Soya Broth with Novobiocin (m-TSB-N) (Soyabean bile broth w/Novobiocin) For the selective enrichment of enterohemorrhagic E. coli (EHEC) in foods, specially meat & poultry products.	38210000	18	100gm 500gm	3000 13000
OLFC-1168	Modified Voges Proskauer Medium for performance of the Voges- Proskauer test in differentiation of Bacillus cereus in accordance with FDA BAM 1998	38210000	18	100gm 500gm	1100 3900
OLFC-1170	Moeller Decarboxylase Broth Base (Decarboxylase Broth Base, Moeller) for the differentiation of bacteria based on their ability to decarboxylate the amino acid.	38210000	18	100gm 500gm	2200 9000
OLFC-1171	Moeller Decarboxylase Broth w/Arginine HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride	38210000	18	100gm 500gm	3400 15000
OLFC-1172	Moeller Decarboxylase Broth w/Lysine HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride	38210000	18	100gm 500gm	3000 11000
OLFC-1173	Moeller Decarboxylase Broth w/Ornithine HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Ornithine hydrochloride	38210000	18	100gm 500gm	3500 15500
OLFC-1175	Motility Test Medium for the determination of bacterial motility	38210000	18	100gm 500gm	1000 4000

OLFC-1180	MRS Agar (Lactobacillus MRS Agar) for the isolation and enumeration of lactic acid bacteria from meat and meat products	38210000	18	100gm	1100
				500gm	4900
OLFC-1185	MRS Broth (Lactobacillus MRS Broth) for isolation and cultivation of Lactobacillus species	38210000	18	100gm	950
				500gm	3900
OLFC-1190	Mueller Hinton Agar for determination of susceptibility of microorganisms to antimicrobial agents & for cultivation of Neisseria spp.	38210000	18	100gm	750
				500gm	3400
OLFC-1195	Mueller Hinton Agar 2% Glucose w/Methylene Blue for testing performing Antifungal Disk Diffusion Susceptibility of yeasts	38210000	18	100gm	1000
				500gm	4000
OLFC-1200	Mueller Hinton Broth for the cultivation of a wide variety of organisms and for antimicrobial susceptibility testing	38210000	18	100gm	900
				500gm	4400
OLFC-1201	Mueller Hinton Broth No.2 for quantitative susceptibility testing of rapidly growing aerobic and facultative anaerobic bacteria isolated from clinical specimen	38210000	18	100gm	1300
				500gm	5200
OLFC-1205	Mueller Kauffman Tetrathionate Broth Base for improved enrichment and isolation of Salmonellae.	38210000	18	100gm	700
				500gm	2700
OLFC-1208	MUG EC Broth for detection of Escherichia coli in water and food by fluorogenic method	38210000	18	100gm	2000
				500gm	8000
OLFC-1211	MUG Lauryl Sulphate Broth for detection of Escherichia coli in water and food by a fluorogenic method	38210000	18	100gm	3000
				500gm	9000
OLFC-1213	MUG Violet Red Bile Agar for detection and enumeration of coliform organisms by a fluorogenic method	38210000	18	100gm	3000
				500gm	9000
OLFC-1215	Mutans-Sanguis Agar for differentiation of Streptococcus mutans & Streptococcus sanguinis associated with oral microflora	38210000	18	100gm	1000
				500gm	4600
OLFC-1220	MY-40 Agar for detection and isolation of osmophilic microorganisms from food samples	38210000	18	100gm	1400
				500gm	5400
OLFC-1225	Mycoplasma Agar Base (PPLO Agar Base) for isolation and cultivation of Mycoplasma species (PPLO)	38210000	18	100gm	1400
				500gm	4500
OLFC-1230	Mycoplasma Broth Base w/ CV (PPLO Broth Base w/ CV) for enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	38210000	18	100gm	1200
				500gm	4400
OLFC-1235	Mycoplasma Broth Base w/o CV (PPLO Broth Base w/o CV) for enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	38210000	18	100gm	1200
				500gm	4400
OLFC-1240	MYP Agar Base (Phenol Red Egg Yolk Polymyxin Agar Base) for the isolation and identification of pathogenic staphylococci and bacilli	38210000	18	100gm	2000
				500gm	5500
OLFC-1243	Nitrate Agar for detection of nitrate reducing bacteria	38210000	18	100gm	1400
				500gm	5300
OLFC-1245	Nitrate Broth for detection of nitrate reduction and enumeration of Bacillus cereus	38210000	18	100gm	1000
				500gm	4400

OLFC-1250	Nutrient Agar for the cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	38210000	18	100gm	700
				500gm	3150
OLFC-1255	Nutrient Agar (Veg) for the cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	38210000	18	100gm	800
				500gm	3500
OLFC-1260	Nutrient Agar No.2 general purpose medium	38210000	18	100gm	800
				500gm	3300
OLFC-1261	Nutrient Agar w/ 1% Peptone general culture medium, can be used as enriched medium with blood or other biological fluids	38210000	18	100gm	850
				500gm	3900
OLFC-1265	Nutrient Broth for the general cultivation of less fastidious microorganisms, can be enriched with blood	38210000	18	100gm	550
				500gm	2400
OLFC-1270	Nutrient Broth (Veg) for the general cultivation of less fastidious microorganisms, can be enriched with blood	38210000	18	100gm	700
				500gm	2800
OLFC-1275	Nutrient Gelatin for the detection of gelatine liquefaction by proteolytic microorganisms	38210000	18	100gm	900
				500gm	3900
OLFC-1280	OF Basal Medium for differentiation of gram negative bacteria on the basis of fermentative and oxidative metabolism of carbohydrates	38210000	18	100gm	900
				500gm	3300
OLFC-1281	OFBBL Agar Base (Oxidation Fermentation Polymyxin Bacitracin Lactose Agar Base) with Polymyxin and Bacitracin is recommended for the selective isolation of Burkholderia cepacia from clinical specimens as well as non-clinical samples	38210000	18	100gm	1200
				500gm	4700
OLFC-1285	Orange Serum Agar for the isolation & enumeration of spoilage organisms of citrus products & for examining fruit beverages	38210000	18	100gm	1100
				500gm	4100
OLFC-1287	Orange Serum Broth for cultivation and enumeration of microorganisms associated with the spoilage of citrus products,	38210000	18	100gm	1000
				500gm	4000
OLFC-1290	Ornithine Decarboxylase Broth for detection of the ability of microorganisms to decarboxylate ornithine	38210000	18	100gm	3900
				500gm	13000
OLFC-1300	Oxytetra Glucose Yeast Agar Base (OGYE Agar Base) for the selective isolation and enumeration of yeast and molds in food products	38210000	18	100gm	950
				500gm	3500
OLFC-1305	PA Broth (Presence-Absence Broth) for detection of presence and absence of coliform bacteria in water	38210000	18	100gm	1000
				500gm	4000
OLFC-877	PALCAM Agar Base (Listeria Identification Agar Base) for detection and enumeration of Listeria monocytogens from food and animal feeds	38210000	18	100gm	1800
				500gm	7600
OLFC-1310	0.1% Peptone Salt Diluent recommended as a diluent ,in certain test methods of food,dairy and water samples.	38210000	18	100gm	700
				500gm	2400

OLFC-1315	Peptone Water all purpose growth medium and as a base of carbohydrate fermentation media.	38210000	18	100gm	700
				500gm	3000
OLFC-1320	Perfringens Agar Base (O.P.S.P.) for presumptive identification of Clostridium perfringens in foods	38210000	18	100gm	1200
				500gm	4400
OLFC-1325	Pfizer Selective Enterococcus Agar for selective isolation and cultivation of Enterococci	38210000	18	100gm	1700
				500gm	4600
OLFC-1330	Phenol Red Broth Base for determination of fermentation reactions of pure cultures of microorganisms	38210000	18	100gm	900
				500gm	3100
OLFC-1332	Phenol Red Dextrose Broth for determining the ability of microorganisms to ferment dextrose	38210000	18	100gm	950
				500gm	3700
OLFC-1335	Phenol Red Mannitol Broth for determining the ability of microorganisms to ferment mannitol	38210000	18	100gm	1000
				500gm	4200
OLFC-1440	Phenol Red Sucrose Broth for Sucrose fermentation studies of microorganisms	38210000	18	100gm	950
				500gm	3500
OLFC-1445	Phenol Red Xylose Broth for Xylose fermentation studies of microorganisms	38210000	18	100gm	2900
				500gm	12000
OLFC-1447	Phenolphthalein Phosphate Agar for identification of phosphatase positive Staphylococcus aureus	38210000	18	100gm	1500
				500gm	5200
OLFC-1450	Phenylalanine Agar for differentiation of Proteus & Providencia from other members of Enterobacteriaceae based on their ability to form phenyl pyruvic acid from phenylalanine	38210000	18	100gm	1300
				500gm	4200
OLFC-1455	Pikovskaya's Agar for the detection of phosphate solubilizing soil microorganisms	38210000	18	100gm	1100
				500gm	4200
OLFC-1460	Pikovskaya's Broth (Medium) for the cultivation phosphate solubilizing microorganisms	38210000	18	100gm	1000
				500gm	4400
OLFC-1465	Plate Count Agar (Standard Plate Agar) for the enumeration of viable bacteria in milk and dairy products by pour plate technique	38210000	18	100gm	850
				500gm	3800
OLFC-1467	Plate Count Agar w/o Dextrose recommended for the determination of plate counts of microorganisms in water samples	38210000	18	100gm	1200
				500gm	4700
OLFC-1470	PNY Medium for cultivation and isolation of Lactobacillus species	38210000	18	100gm	2400
				500gm	9000
OLFC-1475	Potato Carrot Agar for reproduction of Pyronema domesticum	38210000	18	100gm	1100
				500gm	4500
OLFC-1480	Potato Carrot Broth for reproduction of Pyronema domesticum	38210000	18	100gm	1000
				500gm	4000
OLFC-1485	Potato Dextrose Agar for the isolation and enumeration of yeasts & molds from dairy & other food products	38210000	18	100gm	850
				500gm	3000
OLFC-1490	Potato Dextrose Agar (Harmonized) for the isolation and enumeration of yeasts & molds from dairy & other food products	38210000	18	100gm	900
				500gm	3000
OLFC-1495	Potato Dextrose Agar (Veg) for isolation, cultivation and enumeration of yeasts and molds from dairy and food products. Used to induce sporulation in many fungi	38210000	18	100gm	900
				500gm	3000

OLFC-1500	Potato Dextrose Agar w/Chloramphenicol for the selective isolation & enumeration of yeasts & moulds from dairy & other food products	38210000	18	100gm	950
				500gm	3500
OLFC-1505	Potato Dextrose Broth for cultivation and enumeration of yeasts and molds	38210000	18	100gm	800
				500gm	2500
OLFC-1510	Proteose Agar for the cultivation of Vibrio species from foods in accordance with APHA	38210000	18	100gm	1600
				500gm	5500
OLFC-1515	Pseudomonas Agar Base for the selective isolation of Pseudomonas species from environmental samples, food & water	38210000	18	100gm	850
				500gm	3700
OLFC-1520	Pseudomonas Agar (For Fluorescein) for the detection of fluorescein production by Pseudomonas species	38210000	18	100gm	900
				500gm	3600
OLFC-1525	Pseudomonas Agar (For Pyocyanin) for detection of Pyocyanin production by Pseudomonas species	38210000	18	100gm	900
				500gm	3800
OLFC-1530	Pseudomonas Asparagine Broth for presumptive determination of Pseudomonas aeruginosa from recreational or natural water as per A.P.H.A.	38210000	18	100gm	2000
				500gm	9000
OLFC-1535	R-2A Agar for the heterotrophic plate count of treated potable water using longer incubation periods	38210000	18	100gm	1050
				500gm	4400
OLFC-1536	R-2A Broth for cultivation and maintenance of heterotrophic bacteria from potable waters	38210000	18	100gm	1000
				500gm	4200
OLFC-1540	Rappaport Vassiliadis Medium for enrichment of Salmonellae, based on its ability to multiply selectively at high osmotic pressure, low pH and at 43°C, with modest nutritional requirements.	38210000	18	100gm	1000
				500gm	4200
OLFC-1545	Rappaport Vassiliadis Salmonella Enrichment Broth for the selective enrichment & isolation of Salmonella species from pharmaceutical products	38210000	18	100gm	1000
				500gm	4200
OLFC-1550	Rappaport Vassiliadis Salmonella Enrichment Broth (Harmonized) for the selective enrichment & isolation of Salmonella species from pharmaceutical products	38210000	18	100gm	1100
				500gm	4500
OLFC-1554	Reinforced Clostridial agar for cultivation and enumeration of Clostridia and other anaerobes	38210000	18	100gm	1050
				500gm	4350
OLFC-1555	Reinforced Clostridial Broth for cultivation and enumeration of Clostridia and other anaerobes	38210000	18	100gm	900
				500gm	4000
OLFC-1560	Reinforced Clostridial Broth (Harmonized) for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38210000	18	100gm	950
				500gm	4200
OLFC-1565	Rhamnose Broth for the demonstration of rhamnose fermentation by Listeria monocytogenes	38210000	18	100gm	2300
				500gm	8200
OLFC-1570	Rhizobium Medium Agar for cultivation and isolation of Rhizobium species	38210000	18	100gm	900
				500gm	3000
OLFC-1575	Rhizobium Medium Broth for cultivation and isolation of Rhizobium species	38210000	18	100gm	800
				500gm	2800

OLFC-1577	Richard's Synthetic Agar for cultivation and isolation of fungi from soil samples	38210000	18	100gm 500gm	1300 4900
OLFC-1580	Robertson's Cooked Meat Medium (R.C. Medium) (Cooked Meat Medium) for the cultivation and maintenance of aerobes, anaerobes of stock cultures	38210000	18	100gm 500gm	2000 8000
OLFC-1585	Rose Bengal Agar Base for selective isolation & enumeration of yeasts & molds from environmental materials & foods	38210000	18	100gm 500gm	1000 3500
OLFC-1590	Rose Bengal Broth Base	38210000	18	100gm 500gm	1100 3600
OLFC-1595	Rose Bengal Chloramphenicol Agar for selective isolation & enumeration of yeasts & molds from environmental materials & foods	38210000	18	100gm 500gm	1300 4800
OLFC-1600	Rose Bengal Chloramphenicol Broth for the selective isolation and enumeration of yeasts and molds, particularly from food, environmental, and clinical samples	38210000	18	100gm 500gm	900 3500
OLFC-1602	Sabouraud Agar Glucose 4% for cultivation of yeasts, moulds and aciduric microorganisms	38210000	18	100gm 500gm	1000 4200
OLFC-1603	Sabouraud Agar w/ Antibiotics (Sabouraud Cycloheximide Chloramphenicol Agar) for selective isolation and cultivation of pathogenic fungi	38210000	18	100gm 500gm	12500 49500
OLFC-1605	Sabouraud Dextrose Agar Base, Modified (Dextrose Agar Base, Emmons) for the cultivation of yeasts and molds from different materials and for usage as a reference medium during performance testing of culture media.	38210000	18	100gm 500gm	1200 4500
OLFC-1610	Sabouraud Dextrose Agar for the cultivation of yeasts, molds and aciduric microorganisms	38210000	18	100gm 500gm	900 3400
OLFC-1615	Sabouraud Dextrose Agar (Harmonized) for the selection, isolation and cultivation of yeasts and fungi	38210000	18	100gm 500gm	800 3300
OLFC-1620	Sabouraud Dextrose Agar w/Chloramphenicol for the selective cultivation of yeasts and molds	38210000	18	100gm 500gm	1050 3500
OLFC-1625	Sabouraud Dextrose Agar w/Cycloheximide & Chloramphenicol (Mycobiotic Agar) for the selective isolation and cultivation of fungi	38210000	18	100gm 500gm	8000 32000
OLFC-1630	Sabouraud Dextrose Broth for cultivation of yeasts, molds and aciduric microorganisms	38210000	18	100gm 500gm	650 2400
OLFC-1635	Sabouraud Dextrose Broth (Harmonized) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	38210000	18	100gm 500gm	750 2400
OLFC-1640	Sabouraud Dextrose Broth w/Chloramphenicol used to diagnose fungal infections such as candidiasis, dermatophytosis, and aspergillosis	38210000	18	100gm 500gm	750 2600
OLFC-1645	Sabouraud Maltose Broth for the propagation of yeasts and molds, especially the fungi concerned with skin and scalp lesions	38210000	18	100gm 500gm	900 3800

OLFC-1646	Saline Nutrient Agar for isolation and cultivation of <i>Vibrio parahaemolyticus</i> from food products or animal feeding products	38210000	18	100gm	900
				500gm	3600
OLFC-1647	Saline Tryptone Medium (Saline Tryptophan Medium) for detection of indole production by <i>Vibrio parahaemolyticus</i>	38210000	18	100gm	1000
				500gm	4000
OLFC-1648	Salt Polymyxin Broth Base for detection and enumeration of <i>Vibrio</i> species	38210000	18	100gm	1000
				500gm	4600
OLFC-1650	Selenite Broth (Selenite F Broth) (Twin Pack) for isolation of <i>Salmonella</i> species from faeces, urine and other pathological materials	38210000	18	100gm	1000
				500gm	4500
OLFC-1652	Selenite Cysteine Broth (Fluid Selenite Cysteine Broth) (Twin Pack) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples	38210000	18	100gm	1100
				500gm	4300
OLFC-1655	Sheep Blood Agar Base w/o Blood for improved haemolytic reactions of organisms	38210000	18	100gm	1100
				500gm	4000
OLFC-1660	Sheep Blood Agar Base, Modified for cultivation and studying haemolytic reactions of <i>Bacillus cereus</i>	38210000	18	100gm	1200
				500gm	4500
OLFC-1665	Shigella Broth Base for the isolation and cultivation of <i>Shigella</i> species from food stuff	38210000	18	100gm	1100
				500gm	4500
OLFC-1670	SIM Medium (Sulfite Indole Motility Medium) for the determination of hydrogen sulphide production, indole formation & motility of enteric bacilli	38210000	18	100gm	1000
				500gm	3600
OLFC-1675	Simmons Citrate Agar for the differentiation of Enterobacteriaceae based on citrate utilization	38210000	18	100gm	900
				500gm	3600
OLFC-1680	Slanetz and Bartley Medium for the detection and enumeration of enterococci by membrane filtration method	38210000	18	100gm	900
				500gm	3600
OLFC-1685	Soya Casein Digest Agar (Tryptone Soya Agar) (Soyabean Casein Digest Agar) for the isolation and cultivation of fastidious & non fastidious microorganisms	38210000	18	100gm	800
				500gm	3400
OLFC-1690	Soya Casein Digest Agar (Harmonized) (Tryptone Soya Agar) for isolation and cultivation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	38210000	18	100gm	900
				500gm	3500
OLFC-1126	Soya Casein Digest Agar w/Lecithin & Tween 80 (Microbial Content Test Agar) for the detection & enumeration of microorganisms present on the surfaces of sanitary importance	38210000	18	100gm	1100
				500gm	4300
OLFC-1700	Soya Casein Digest Medium (Tryptone Soya Broth) (Soybean Casein Digest Medium) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	38210000	18	100gm	400
				500gm	1800

OLFC-1702	Soyabean Casein Digest Medium w/o Dextrose (Tryptone Soya Broth w/o Dextrose) for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	38210000	18	100gm 500gm	1000 3800
OLFC-1703	Soyabean Casein Digest Medium w/ Lecithin and Tween 80 for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics	38210000	18	100gm 500gm	1500 6000
OLFC-1705	Soyabean Casein Digest Medium (Harmonized) for the cultivation of a wide variety of microorganisms, including bacteria and fungi	38210000	18	100gm 500gm	450 1900
OLFC-1706	Soyabean Casein Digest Medium (Veg) (Tryptone Soya Broth, Veg) for the evaluation of sterility in manufacturing processes	38210000	18	100gm 500gm	600 2400
OLFC-1707	Spirolate Broth, OMATA for mass cultivation of Treponema pallidum, Reiter strain for antigen production and other studies	38210000	18	100gm 500gm	1850 8500
OLFC-1710	SS Agar (Salmonella Shigella Agar) for the differential and selective isolation of Salmonella & Shigella species from pathological samples	38210000	18	100gm 500gm	750 3200
OLFC-1715	SS Agar, Modified (Salmonella Shigella Agar Modified) a modified medium, which provides better growth of Salmonella and Shigella species.	38210000	18	100gm 500gm	1000 3500
OLFC-1716	SS Broth (Salmonella Shigella Broth) a selective and differential medium used in sanitary bacteriology to enrichment Salmonella & Shigella from feces, urine, and fresh and canned foods.	38210000	18	100gm 500gm	900 3300
OLFC-1720	Starch Agar for detection of starch hydrolysing micro-organisms.	38210000	18	100gm 500gm	1050 4300
OLFC-1725	Starch Casein Agar for detection of saccharolytic marine bacteria	38210000	18	100gm 500gm	1300 4900
OLFC-1730	Stuart Transport Medium (Transport Medium, Stuart) for preservation & transport of Neisseria species & other fastidious organisms	38210000	18	100gm 500gm	1600 6500
OLFC-1735	Sulphate Reducing Medium (Twin Pack) for detection, differentiation and estimation of sulphate reducing bacteria Thiobacillus thioparus	38210000	18	100gm 500gm	1100 4400
OLFC-1745	T.A.T. Broth Base (Tryptone-Azolectin-Tween Broth Base) & other cosmetic products	38210000	18	100gm 500gm	1100 4000
OLFC-1750	TCBS Agar (Thiosulphate Citrate Bile Salts Sucrose Agar) for selective isolation of Vibrio cholerae & other enteropathogenic Vibrios causing food poisoning	38210000	18	100gm 500gm	950 4000
OLFC-1751	TCBS Agar, Modified for selective isolation of Vibrio cholerae and other enteropathogenic Vibrio's	38210000	18	100gm 500gm	1400 5600
OLFC-1755	Tellurite Blood Agar Base for the selective isolation and cultivation of Corynebacterium species	38210000	18	100gm 500gm	1350 4900

OLFC-1760	Tergitol 7 Agar Base for selective isolation and identification of coliform bacteria from water	38210000	18	100gm 500gm	1000 4300
OLFC-1775	Tetrathionate Brilliant Green Bile Broth for isolation and identification of Salmonellae	38210000	18	100gm 500gm	800 2750
OLFC-1780	Tetrathionate Broth Base for isolation of Salmonellae from faecal samples, sewage and other samples	38210000	18	100gm 500gm	800 2800
OLFC-1805	Thayer Martin Medium Base (Thayer Martin Agar Base) for the selective isolation of Gonococci from clinical samples	38210000	18	100gm 500gm	1000 4100
OLFC-1810	Thiobacillus Agar for the cultivation and isolation of Thiobacillus species	38210000	18	100gm 500gm	1300 4850
OLFC-1815	Thiobacillus Broth for the cultivation of Thiobacillus species	38210000	18	100gm 500gm	1000 3500
OLFC-1820	Thioglycollate Agar for the growth and cultivation of anaerobic microorganisms	38210000	18	100gm 500gm	1000 3800
OLFC-1825	Thioglycollate Broth w/Liver Extract (B.Q. Vaccine Medium) for the mass cultivation of anaerobes for vaccine production	38210000	18	100gm 500gm	900 3000
OLFC-1826	Thioglycollate Broth, Alternative (Alternative thioglycollate Medium) for sterility testing of turbid or viscous biological products	38210000	18	100gm 500gm	450 1800
OLFC-1828	Thiosulphate Ringer Solution Powder for verification of sterility of dairy plant after hypochlorite has been used for disinfection purposes	38210000	18	100gm 500gm	2200 8300
OLFC-1830	Tinsdale Agar Base for selective isolation and differentiation of Corynebacterium diphtheriae	38210000	18	100gm 500gm	1300 4500
OLFC-1833	Todd Hewitt Broth for cultivation of group A haemolytic Streptococci used for serological studies	38210000	18	100gm 500gm	1200 3900
OLFC-1835	Tomato Juice Agar for the cultivation and enumeration of Lactobacilli	38210000	18	100gm 500gm	1200 4200
OLFC-1840	Tributyryn Agar Base w/o Tributyrin (TBA) for cultivation and enumeration of lipolytic microorganisms	38210000	18	100gm 500gm	1000 4000
OLFC-1845	Trichoderma Harzianum Selective Agar Base for selective isolation of Trichoderma harzianum	38210000	18	100gm 500gm	1200 4600
OLFC-1850	Triple Sugar Iron Agar (TSI Agar) for identification of gram negative enteric bacilli on the basis of dextrose lactose & sucrose fermentation & hydrogen sulphide production	38210000	18	100gm 500gm	750 3200
OLFC-1855	Tryptic Soya Agar for a cultivation and maintenance of Salmonella typhi	38210000	18	100gm 500gm	850 3400
OLFC-1865	Tryptone Agar Base for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes	38210000	18	100gm 500gm	900 3800
OLFC-1870	Tryptone Bile Agar for rapid detection and enumeration of Escherichia coli in foods using direct plating method	38210000	18	100gm 500gm	1000 3600

OLFC-1875	Tryptone Broth (Tryptone Water) for detection of indole producing microorganisms	38210000	18	100gm 500gm	700 2600
OLFC-1878	Tryptone Glucose Beef Extract Agar (TGB Agar) for cultivation and enumeration of bacteria in water, air, milk and dairy products	38210000	18	100gm 500gm	1100 4900
OLFC-1879	Tryptone Glucose Yeast Extract Agar for enumeration of bacteria in water, air, milk and dairy products	38210000	18	100gm 500gm	700 3000
OLFC-1880	Tryptone Glucose Yeast Extract Broth (Standard Method Broth) for enumeration of bacteria in water, air, milk and dairy products.	38210000	18	100gm 500gm	800 2800
OLFC-1884	Tryptone Soya Yeast Extract Agar for isolation and cultivation of Listeria from Henry's light	38210000	18	100gm 500gm	1200 3500
OLFC-1885	Tryptone Soya Yeast Extract Broth for isolation and cultivation of Listeria from Henry's light	38210000	18	100gm 500gm	1100 3200
OLFC-1890	Tryptone Tellurite Agar Base for selective isolation of pathogens from clinical specimens, especially from nose, throat and vagina	38210000	18	100gm 500gm	1350 4500
OLFC-1892	Tryptone Yeast Extract Agar for estimation of microbial counts in water	38210000	18	100gm 500gm	1250 5100
OLFC-1893	Tryptone Yeast Extract Agar w/BCP for isolation and enumeration of Enterobacteriaceae and Bacillus cereus	38210000	18	100gm 500gm	1400 5400
OLFC-1895	Tryptone Yeast Extract Cystine w/ Sucrose & w/o Bactitracin Agar Base (TYCSB Agar Base) for selective isolation of Streptococcus mutans	38210000	18	100gm 500gm	1650 6400
OLFC-1900	Tryptophan Medium (Tryptophan Broth) for differentiation of bacteria on the basis of indole production	38210000	18	100gm 500gm	750 2600
OLFC-1905	Tryptose Sulphite Cycloserine Agar Base (Perfringens Cycloserine Agar Base) for enumeration of Clostridium perfringens from food	38210000	18	100gm 500gm	1600 5600
OLFC-1910	Urea Agar Base for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae	38210000	18	100gm 500gm	800 3400
OLFC-1915	Urea Broth Base (Urea Broth Medium) for identifying bacteria on the basis of urea utilization, for the differentiation of Proteus species from Salmonella and Shigella species	38210000	18	100gm 500gm	900 3800
OLFC-1920	Urea Indole Medium for differentiation of microorganism especially Enterobacteriaceae on the basis of their ability to hydrolyze urea and indole production	38210000	18	100gm 500gm	1150 4900
OLFC-1925	Violet Red Bile Agar for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	38210000	18	100gm 500gm	900 3300
OLFC-1930	Violet Red Bile Broth for detection and enumeration of coliform bacteria in water and food	38210000	18	100gm 500gm	800 3000

OLFC-1935	Violet Red Bile Glucose Agar for the selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products	38210000	18	100gm	950
				500gm	3600
OLFC-1940	Violet Red Bile Lactose Agar for detection and enumeration of coliform bacteria in food, water and dairy products	38210000	18	100gm	900
				500gm	3200
OLFC-1945	Vogel Johnson Agar Base w/o Tellurite (V.J. Agar Base) for selective isolation of coagulase positive mannitol fermenting Staphylococcus aureus from foods and clinical samples	38210000	18	100gm	800
				500gm	3200
OLFC-1947	VRE Agar Base (Vancomycin Resistant Enterococci Agar Base) for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	38210000	18	100gm	2200
				500gm	9300
OLFC-1950	Willis And Hobb's Medium Base isolation & identification of Clostridium from foods	38210000	18	100gm	1100
				500gm	4400
OLFC-1955	Wilson Blair Agar Base for isolation and cultivation of Salmonella typhi with addition of selective reagent	38210000	18	100gm	1100
				500gm	4200
OLFC-1957	WL - Nutrient Medium (WL - Nutrient Agar) for cultivation & isolation of microorganisms encountered in breweries & industrial fermentations	38210000	18	100gm	900
				500gm	4000
OLFC-1960	XLD Agar (Xylose Lysine Deoxycholate agar) for selective isolation and enumeration of Salmonella typhi and other Salmonella species	38210000	18	100gm	800
				500gm	3600
OLFC-1965	XLD Agar (Xylose Lysine Deoxycholate agar) (Harmonized) for cultivation and isolation of Salmonella species in pharmaceutical testing according to harmonized methods	38210000	18	100gm	900
				500gm	3500
OLFC-1966	2 XYT Growth Agar optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	38210000	18	100gm	1000
				500gm	4000
OLFC-1967	XYT4 Agar Base for selective isolation of Salmonella species other than Salmonella typhi	38210000	18	100gm	1400
				500gm	5600
OLFC-1975	Yeast Extract Agar for plate count of microorganisms in water	38210000	18	100gm	800
				500gm	2800
OLFC-1980	Yeast Glucose Chloramphenicol Agar for the selective enumeration of yeasts and molds in milk and other milk products	38210000	18	100gm	1100
				500gm	4400
OLFC-1985	Yeast Malt Agar (Yeast and Mold Agar) (ISP Medium No. 2) for the cultivation of fungi including yeasts and other aciduric organisms	38210000	18	100gm	1200
				500gm	4600
OLFC-1986	Yeast Malt Broth (YM Broth) for cultivation of yeasts, molds and aciduric microorganisms	38210000	18	100gm	900
				500gm	3200
OLFC-1990	Yeast Mannitol Agar (Yeast Extract Mannitol Agar) for the isolation and enumeration of soil microorganisms like Rhizobium species.	38210000	18	100gm	1100
				500gm	4600
OLFC-1992	Yeast Mannitol Agar w/ Congo Red for cultivation of soil microorganisms like Rhizobium species	38210000	18	100gm	1100
				500gm	4600

OLFC-1995	Yeast Mannitol Broth for cultivation of Rhizobium species	38210000	18	100gm 500gm	900 3100
OLFC-2000	Yeast Peptone Dextrose Agar (YEPD) for maintaining and propagating yeasts in molecular biology studies	38210000	18	100gm 500gm	1200 4400
OLFC-2005	Yeast Peptone Dextrose Broth (YEPD) for maintenance and propagation of yeasts in molecular microbiology procedures	38210000	18	100gm 500gm	1500 4800
OLFC-2010	Yeast Extract Rose Bengal Broth Base for the cold enrichment and recovery of Yersinia enterocolitica and Yersinia pseudotuberculosis from foods	38210000	18	100gm 500gm	1000 3500
OLFC-2015	Yeast Fermentation Broth Base (Bromo Cresol Purple Broth Base) for differentiation of various microorganisms based on their fermentation of specific carbohydrates	38210000	18	100gm 500gm	1000 3700
OLFC-2025	Zinc Solubilizing Agar for isolation and detection of zinc solubilizing soil microorganisms	38210000	18	100gm 500gm	1000 3800
OLFC-2030	Zinc Solubilizing Broth (Zinc Solubilizing Medium) for growth and maintenance of zinc solubilizing soil microorganism	38210000	18	100gm 500gm	950 3200

PLANT TISSUE CULTURE MEDIA

OLFC-5000	Banana Micropropagation Medium (w/Vitamins, w/o NH ₄ NO ₃ , Sucrose & Agar)	38210000	18	10 Lit 25 Lit	1350 2450
OLFC-5050	Banana Multiplication Medium (w/Vitamins, Glucose Sucrose, plant growth regulators & agar) for in vitro multiplication of Musa species	38210000	18	10 Lit 25 Lit	2400 3600
OLFC-5150	CHU (N6) Medium (With Vitamins & Sucrose, Without Agar)	38210000	18	10 Lit 25 Lit	1670 2350
OLFC-5200	Agar	38210000	18	10 Lit 25 Lit	2300 4000
OLFC-5230	Dulbecco's Modified Eagle Medium (DMEM)	38210000	18	10 Lit 25 Lit	4200 13200
OLFC-5250	Murashige and Skoog Agar Medium (With Calcium Chloride, Vitamins, sucrose & Agar)	38210000	18	10 Lit 25 Lit	1300 2500
OLFC-5300	Murashige and Skoog Modified Medium (With CaCl ₂ and B5 Vitamin, Without Sucrose & Agar)	38210000	18	10 Lit 25 Lit	1200 2200
OLFC-5350	Murashige and Skoog Modified Medium (With Calcium Chloride, FeNaEDTA, Vitamins & Sucrose, Without Agar)	38210000	18	10 Lit 25 Lit	1250 2300
OLFC-5400	Orchid Maintainece Medium (With CaCl ₂ , Vitamins, Sucrose, Peptone, MES, Activated Charcoal & Agar)	38210000	18	10 Lit 25 Lit	2100 4000
OLFC-5450	Strawberry Multiplication Medium (With Vitamins, Sucrose, 6-BAP & Agar)	38210000	18	10 Lit 25 Lit	2100 3600
OLFC-5500	Strawberry Rooting Medium (With Vitamins, Sucrose, 6-BAP & Agar)	38210000	18	10 Lit 25 Lit	2100 3600
OLFC-5550	Linsmaier And Skoogs Medium (With vitamins, Without Sucrose & Agar)	38210000	18	10 Lit 25 Lit	1500 2000

Oxford[™]
Range of
Laboratory Chemicals

Global Presence In More Than 60+ Countries



OXFORD LAB FINE CHEM LLP

📍 Unit No. 12, 1st floor, Neminath Industrial Estate No. 6, Navghar,
Vasai (East). Dist - Palghar - 401 210. Maharashtra, INDIA.

☎ +91 (250) 239 0032 / 239 0989

📞 **For Inquiries** : +91 91567 24696

For Dispatch : +91 80877 40385

For Accounts : +91 91724 30385

For COA/MSDS : +91 88305 74847

✉ sales@oxfordlabchem.com / info@oxfordlabchem.com

🌐 www.oxfordlabfinechem.com / www.oxfordlabchem.com