OXFORD LAB FINE CHEM LLP
ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

TECHNICAL DATA SHEET

Brilliant Green Agar

Principle

Brilliant green agar is composed of protease peptone, yeast extract, lactose, saccharose, sodium chloride, brilliant green, phenol red and agar. Protease peptone provides nitrogen and necessary growth elements. Yeast extract provide nitrogen, carbon, vitamins and other growth factors. Lactose and sacchorese are source of carbohydrates. Sodium chloride maintains osmatic balance. Brilliant green inhibits both gram positive and negative bacteria except *Salmonella spp.*. Phenol red is pH indicator. Agar is solidifying agent.

Use: Recommended for isolating *Salmonella* other than *Salmonella typhi*

Contents*

Ingredients	Gram/Litre
Proteose Peptone	10.000
Yeast Extract	3.000
Lactose	10.000
Saccharose	10.000
Sodium Chloride	5.000
Brilliant Green	0.012
Phenol Red	0.080
Agar	20.000
pH at 25˚C	6.9 ±0.2

*** Formula adjusted for optimum performance and parameters**

Directions: Dissolve 58.00 grams in 1000 ml distilled water. Boil to dissolve the medium completely and sterilize by autoclaving at 15 lbs pressure (121°C) for 15 min, (AVOID OVERHEATING) cool it to 42-45 °C and distribute aseptically in petri plates. Ensure complete solidification and inoculate test sample aseptically.

Specimens types analyzed

Pharmaceutical samples, clinical and non-clinical samples etc.

OXFORD LAB FINE CHEM LLP
ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Precautions to be taken

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

Quality Control

Appearance	**Pinkish beige colored free flowing, homogeneous powder**
Reaction of 5.8% solution	**6.9 ±0.2 at 25 ˚C**
pH	**6.70- 7.10**
Gelling	**Firm comparable with 2% agar gel**
Color and clarity of ready medium	**light orange brown colored opalescent gel**
Growth Promotion properties	**Best at ≤ 100 CFU at 32-37 ºC for 18-72 h**
Indicative properties	**Optimum at ≤ 100 CFU at 32-37 ºC for 18-48 h**
Negative control	**Performed using sterile distilled water**

Different Microbial Response

Organism	Inoculum	Growth	Colony color	Incubation
Salmonella typhimurium **(ATCC 14028)**	**50-100**	**Luxurious**	**Pink white with red sounding**	**33-37 °C, 18-24 h**
Escherichia coli **(ATCC 8739)**	**50-100**	**Poor**	**Yellow-green**	**33-37 °C, 18-24 h**

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Storage and Shelf Life

Hygroscopic; keep container tightly closed. Store in cool dry place.

Disposal: To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

Reference

1. Atlas, R. M. (2005). Handbook of media for environmental microbiology. CRC press.
2. Difco Manual (1998). 11th Edition. Difco Laboratories., Division of Becton Dickinson and Company, Sparks, Maryland, USA.

Disclaimer:

****

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.
Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.