OXFORD LAB FINE CHEM LLP
ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

TECHNICAL DATA SHEET

KF Streptococcal Agar Base

Principle

Kenner-Faecal (KF) Medium was developed by Kenner et al (1960 & 1961) for detecting Streptococci in water and food materials. KF Streptococcus Agar Base is recommended by APHA for enumerating faecal Streptococci in food materials (2015). Media is composed of special peptone, yeast extract, sodium chloride, sodium glycerophosphate, maltose, lactose, sodium azide and agar. Special peptone and yeast extract provide nitrogen, carbon, amino acids, and vitamins and trace ingredients essential for the growth of faecal Streptococci. Sodium chloride maintains osmatic balance. Lactose and maltose are the fermentable carbohydrates and therefore serve as energy sources. Sodium azide is a selective agent, which hampers the growth of gram-negative bacteria. Sodium glycerophosphate is buffering agent. The media can be fortified with 2,3,5-Triphenyl Tetrazolium Chloride, which is reduced to insoluble formazan by actively metabolizing cells, resulting in the formation of pink or red colonies. The acidity caused due to metabolic reaction, changes the color of the indicator dye (Bromo cresol purple) to yellow. Bacterial cells reduce TTC to insoluble formazan, resulting in the formation of pink to red colonies. After this presumptive identification, further confirmatory tests should be carried out on selective media.

Use: For selective isolation and enumeration of faecal Streptococci in surface water by direct plating or by membrane filter technique.

Contents*

Ingredients	Gram/Liter
Proteose Peptone	10.000
Yeast Extract	10.000
Sodium Chloride	5.000
Sodium Glycerophosphate	10.000
Maltose	20.000
Lactose	1.000
Sodium Azide	0.400
Brompcresol Pruple	0.015
Agar	20.000
pH at 25°C	7.2 ±0.2

*** Formula adjusted for optimum performance and parameters**

This document has been produced electronically and it is valid without signature.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Directions: Dissolve 76.4 grams in 1000 ml distilled water. Boil to dissolve the medium completely and additionaly heat for 5 minutes. Avoid overheating and DO NOT AUTOCLAVE. Add 10 ml of TTC solution 1% to the medium at 50°C and mix well, distribute aseptically in petri plates for membrane filter procedure (if pour plate technique is used, kept the medium at 45°C). Ensure complete solidification and inoculate test sample aseptically.

Specimen's types analyzed

Clinical, fecal samples etc.

Precautions to be taken

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

Quality Control

Appearance	**Light greenish beige colored free flowing, homogeneous powder**
Reaction of 7.64% solution	**7.2 ±0.2 at 25 ˚C**
pH	**7.00- 7.40**
Gelling	**Firm comparable with 2% agar gel**
Color and clarity of ready medium	**Light purple and slightly opalescent gel**
Growth Promotion properties	**Best at ≤ 100 CFU at 32-37 ºC for 18-72 h**
Indicative properties	**Optimum at ≤ 100 CFU at 32-37 ºC for 18-48 h**
Negative control	**Performed using sterile distilled water**

OXFORD LAB FINE CHEM LLP
ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Different Microbial Response
Prepare medium as per label directions, Incubate at 35 ± 2°C for 24-48 hours.

Organism	Inoculum	Growth	Recovery	Colony Color	Incubation period
Enterobacter faecalis **(ATCC 19433)**	**50-100**	**Luxurious**	**60-70%**	**Red centered**	**35 ± 2°C 24-48 h**
Enterobacter aerogenes **(ATCC 13048)**	**50-100**	**markedly inhibition**	**--**	**---**	**35 ± 2°C 24-48 h**
Escherichia coli **(ATCC 8739)**	**50-100**	**markedly inhibition**	**--**	**---**	**35 ± 2°C 24-48 h**

Storage and Shelf Life: Hygroscopic; keep container tightly closed. Store in cool dry place

Disposal: To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

Reference

1. **Atlas, R. M. (2005).** ***Handbook of media for environmental microbiology*****. CRC press.**
2. ***Difco Manual*** **(1998). 11th Edition. Difco Laboratories., Division of Becton Dickinson and Company, Sparks, Maryland, USA.**
3. **Kenner B. A., Clark H. F. and Kabler P. W., (1960), Am. J. Public Health, 50:1553.**
4. **Kenner B. A., Clark H. F. and Kabler P. W., (1961), Appl. Microbiol., 9:15**
5. **Salfinger Y., and Tortorello M.L. Fifth (Ed.), (2015), Compendium of Methods for the Microbiological Examination of Foods, 5th Ed., American Public Health Association, Washington, D.C.**

OXFORD LAB FINE CHEM LLP
ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com

Oxford
Range of
Laboratory Chemicals

Disclaimer:

****

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.
Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.