ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210.

Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com



# **MATERIAL SAFETY DATA SHEET**

# **BARIUM HYDROXIDE Octahydrate 98.5%**

(Extra Pure)

MSDS CAS: 12230-71-6

# **Section 1: Chemical Product and Company Identification**

**Section 1: Chemical Product** 

**Product Name: BARIUM HYDROXIDE** 

CAS#: 12230-71-6 C.I. No.: Not available.

**Synonym:** Not available. Chemical Name: Not available.

Chemical Formula: Ba(OH)2.8H2O

**Brand: OXFORD** 

## **Details Of The Supplier Of The Safety Data Sheet:**

**Company identification:** OXFORD LAB FINE CHEM LLP

Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,

Navghar, Vasai (East). Palghar - 401 210.

Mumbai, Maharashtra, INDIA.

Tel: 91-250-2390989

Tel/Fax: 91-250-2390032

# Section 2: Composition and Information on Ingredients

#### **Composition:**

Name	CAS#	% by Weight
BARIUM HYDROXIDE	12230-71-6	98.5%

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. **Tel:** +91 250 2390032 / 2390989 / 2390990 **Email:** sales@oxfordlabchem.com /

info@oxfordlabchem.com **Web:** www.oxfordlabchem.com



## **Section 3: Hazards Identification**

#### Classification of the substance or mixture

Classification according to Regulation (EC) No 1999/45

Classification : Xn; R20

C; R34

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302 Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314

**Other hazards**: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

## **Section 4: First Aid Measures**

### **Description of first aid measures**

#### Inhalation

Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor. Call a POISON CENTER or doctor if you feel unwell.

#### **Skin contact**

Immediately call a POISON CENTER or doctor. Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing.

#### **Eve contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

#### **Ingestion:**

Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor. Call a POISON CENTER or doctor if you feel unwell.

### Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard. Causes severe skin burns and eye damage.

#### Indication of any immediate medical attention and special treatment needed

General information: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210.

Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990

Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com



## **Section 5: Fire and Explosion Data**

### Extinguishing media

**Extinguishing media** 

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

Thermal decomposition generates: Corrosive vapours.

**Advice for fire-fighters** 

**Protection against fire** : Do not enter fire area without proper protective equipment,

Including respiratory protection.

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject)

fire-fighting water to enter environment.

## **Section 6: Accidental Release Measures**

Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

**Environmental precautions** 

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if

product enters sewers or public waters.

Methods and materials for containment and cleaning up

Clean up methods: On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com /

info@oxfordlabchem.com **Web:** www.oxfordlabchem.com



## **Section 7: Handling and Storage**

**Precautions for safe handling** 

Handling : Use only outdoors or in a well-ventilated area. Avoid breathing

dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

handling. Do not eat, drink or smoke when using this product.

Technical protective measures

: Provide good ventilation in process area to prevent formation of

vapour.

Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated

place. Keep container closed when not in use.

Storage regulation : Comply with applicable regulations.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

Specific end uses

Specific end use(s) : None.

# **Section 8: Exposure Controls/Personal Protection**

Personal protection : Avoid all unnecessary exposure.

• Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

• Hand protection : Wear protective gloves.

• Skin protection : Wear suitable protective clothing.

• Eye protection : Chemical goggles or safety glasses.

• Others : When using, do not eat, drink or smoke.

Control parameters

Occupational Exposure Limits : No data available.

## **Section 9: Physical and Chemical Properties**

Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Color : White crystaline

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com



# **Section 9: Physical and Chemical Properties (Continued)**

Odor : Odourless

Odor threshold : No data available. pH value : No data available.

Melting point [°C] : 78 °C **Decomposition point** [°C] : N/A Critical temperature [°C] : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) : N/A Flash point [°C] : N/A **Boiling point** [°C] :7800C Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A

Vapour density : N/A
Density [g/cm3] : 2,18
Relative density gas (air=1) : N/A

Relative density, gas (air=1) : N/A Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : 5.6g/100g water @ 15

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available. Solubility : 12.5 at 50 g/l at 20

Viscosity at 40°C [mm2/s] : N/A Molecular Weight : 315.48

Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidizing properties : No data available.

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210.

Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



## **Section 10: Stability and Reactivity Data**

Reactivity

**Reactivity:** Not established.

Chemical stability

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions

Hazardous reactions: Not established.

Conditions to avoid

Conditions to avoid: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating.

Heat. Sparks.

**Incompatible materials** 

Materials to avoid: Strong acids. Strong bases.

**Hazardous decomposition products** 

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

# **Section 11: Toxicological Information**

### Information on toxicological effects

**Acute toxicity** 

 Inhalation : Harmful if inhaled.

 Dermal : Based on available data, the classification criteria are not met.

 Ingestion : Harmful if swallowed.

Corrosion : Causes severe skin burns and eye damage.

Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210.

Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990

Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com



# **Section 12: Ecological Information**

### **Toxicity**

**Toxicity information:** Not established.

#### **Persistence – degradability**

Persistence - degradability: Biodegradable.

#### Bio accumulative potential

Bio accumulative potential: Not established.

#### Mobility in soil

Mobility in soil: Not established.

### Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### Other adverse effects

**Environmental precautions:** Avoid release to the environment.

## **Section 13: Disposal Considerations**

### Waste treatment methods

General: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## **Section 14: Transport Information**

### **Land transport (ADR-RID)**

Proper shipping name : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

UN N° : 3262 H.I. nr : 80 ADR - Class : 8

Labelling - Transport : 8 : Corrosive substance.

ADR - Group : II

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210.

Maharashtra, INDIA.

Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com

Tel: +91 250 2390032 / 2390989 / 2390990

Laboratory Chemicals

# **Section 14: Transport Information (Continued)**

Sea transport (IMDG)

**Proper shipping name** : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

UN N° : 3262

**IMO-IMDG - Class or division** : 8 : Corrosive substance.

**IMO-IMDG - Packing group** : II

Air transport (ICAO-IATA)

**Proper shipping name** : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

UN N°

IATA - Class or division : 8 : Corrosive substance.

IATA - Packing group : II

# **Section 15: Other Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental: Ensure all national/local regulations are observed.

Regulations/legislation specific for

The substance or mixture

**REACH Restrictions - Annex XVII:** The components of this product are not subject to restrictions.

**REACH Authorization - Annex XIV:** The components of this product are not subject to authorization.

**Chemical Safety Assessment** 

Chemical Safety Assessment: It has not been carried out.

# **Section 16 - Additional Information**

References: Not available.

Other Special Considerations: Not available.

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210.

Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com

Web: www.oxfordlabchem.com



## Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

OXFORD LAB FINE CHEM LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, OXFORD LAB FINE CHEM LLP will not be responsible for damages resulting from use of or reliance upon this information.