

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## MATERIAL SAFETY DATA SHEET

### **CALCIUM METAL GRANULAR 98%** **MSDS CAS: 7440-70-2**

#### **Section 1: Chemical Product and Company Identification**

##### Section 1: Chemical Product

**Product Name:** Calcium

**CAS#:** 7440-70-2

**Synonym:** Not available.

**Chemical Name:** Not available.

**Chemical Formula:** Ca

**Brand :** OXFORD

##### Details Of The Supplier Of The Safety Data Sheet :

**Company identification:** OXFORD LAB FINE CHEM LLP  
Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,  
Navghar, Vasai (East). Palghar - 401 210.  
Mumbai, Maharashtra, INDIA.  
Tel: 91-250-2390989  
Tel/Fax: 91-250-2390032

#### **Section 2: Composition and Information on Ingredients**

##### Composition:

Name	CAS #	% by Weight
Calcium	7440-70-2	100

**Toxicological Data on Ingredients:** Calcium LD50: Not available. LC50: Not available.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 3: Hazards Identification

### Potential Acute Health Effects:

Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Corrosive to eyes and skin. The amount of tissue damage depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterized by burning, sneezing and coughing. Severe over-exposure can produce lung damage, choking, unconsciousness or death.

### Potential Chronic Health Effects :

**CARCINOGENIC EFFECTS:** Not available. **MUTAGENIC EFFECTS:** Not available. **TERATOGENIC EFFECTS:** Not available.

**DEVELOPMENTAL TOXICITY:** Not available. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage.

## Section 4: First Aid Measures

**Eye Contact:** Check for and remove any contact lenses. Do not use an eye ointment. Seek medical attention.

**Skin Contact:** If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, protecting your own hands and body. Place the victim under a deluge shower. If the chemical got on the victim's exposed skin, such as the hands : Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

**Serious Skin Contact:** Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

**Inhalation:** Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

**Serious Inhalation:** Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. **WARNING:** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious orcorrosive. Seek immediate medical attention.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 4: First Aid Measures (Continued)

**Ingestion:** Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

**Serious Ingestion:** Not available.

## Section 5: Fire and Explosion Data

**Flammability of the Product:** Flammable.

**Auto-Ignition Temperature:** Not available

**Flash Points:** Not available.

**Flammable Limits:** Not available.

**Products of Combustion:** Some metallic oxides.

**Fire Hazards in Presence of Various Substances:** Not available

**Explosion Hazards in Presence of Various Substances:**

**Risks of explosion of the product in presence of mechanical impact:** Not available.

**Risks of explosion of the product in presence of static discharge:** Not available.

**Fire Fighting Media and Instructions:** Flammable solid. **SMALL FIRE:** Use DRY chemical powder.

**LARGE FIRE:** Use water spray or fog.

**Special Remarks on Fire Hazards:** Not available.

**Special Remarks on Explosion Hazards:** Not available.

## Section 6: Accidental Release Measures

**Small Spill:**

Use appropriate tools to put the spilled solid in a convenient waste disposal container.

**Large Spill:**

Corrosive solid. Flammable solid that, in contact with water, emits flammable gases. Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Cover with dry earth, sand or other non-combustible material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 7: Handling and Storage

### Precautions:

Keep under inert atmosphere. Keep container dry. Do not breathe dust. Never add water to this product  
Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If  
you feel unwell, seek medical attention and show the label when possible. Avoid contact with skin and eyes  
Keep away from incompatibles such as acids, moisture.

Storage: Flammable materials should be stored in a separate safety storage cabinet or room. Keep away  
from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated  
place. Ground all equipment containing material. Keep container dry. Keep in a cool place.

## Section 8: Exposure Controls/Personal Protection

### Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below  
recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure  
to airborne contaminants below the exposure limit.

### Personal Protection:

Splash goggles. Lab coat. Vapor and dust respirator. Be sure to use an approved/certified respirator or  
equivalent. Gloves.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor and dust respirator. Boots. Gloves. A self contained breathing apparatus  
should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient;  
consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

## Section 9: Physical and Chemical Properties

**Physical state and appearance:** Solid.

**Odor** : Not available.

**Taste** : Not available.

**Molecular Weight** : 40.08 g/mole

**Color** : Not available.

**pH (1% soln/water)** : Not available.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 9: Physical and Chemical Properties (Continued)

<b>Boiling Point</b>	: 1484°C (2703.2°F).
<b>Melting Point</b>	: 839°C (1542.2°F)
<b>Critical Temperature</b>	: Not available.
<b>Specific Gravity</b>	: 1.54 (Water = 1)
<b>Vapor Pressure</b>	: Not applicable.
<b>Vapor Density</b>	: Not available.
<b>Volatility</b>	: Not available.
<b>Odor Threshold</b>	: Not available.
<b>Water/Oil Dist. Coeff.</b>	: Not available.
<b>Ionicity (in Water)</b>	: Not available.
<b>Dispersion Properties</b>	: Not available.
<b>Solubility</b>	: Not available.

## Section 10: Stability and Reactivity Data

<b>Stability</b>	: The product is stable.
<b>Instability Temperature:</b>	Not available.
<b>Conditions of Instability:</b>	Not available.
<b>Incompatibility with various substances:</b>	Highly reactive with acids. Reactive with moisture. The product reacts violently with water to emit flammable but non toxic gases.
<b>Corrosivity</b>	: Non-corrosive in presence of glass
<b>Special Remarks on Reactivity:</b>	Not available.
<b>Special Remarks on Corrosivity:</b>	Not available.
<b>Polymerization</b>	: No.

## Section 11: Toxicological Information

<b>Routes of Entry:</b>	Eye contact. Inhalation. Ingestion
<b>Toxicity to Animals: LD50:</b>	Not available. LC50: Not available.
<b>Chronic Effects on Humans:</b>	The substance is toxic to lungs, mucous membranes.
<b>Other Toxic Effects on Humans:</b>	Hazardous in case of skin contact (irritant), of ingestion, of inhalation.
<b>Special Remarks on Toxicity to Animals:</b>	Not available.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 11: Toxicological Information (Continued)

**Special Remarks on Chronic Effects on Humans:** Not available.

**Special Remarks on other Toxic Effects on Humans:** Not available.

## Section 12: Ecological Information

**Ecotoxicity** : Not available.

**BOD5 and COD**: Not available.

**Products of Biodegradation**: Possibly hazardous short term degradation products are not likely.  
However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation**: The products of degradation are less toxic.

**Special Remarks on the Products of Biodegradation**: Not available.

## Section 13: Disposal Considerations

Waste Disposal:

## Section 14: Transport Information

### Land transport (ADR-RID)

**Proper shipping name** : CALCIUM

**UN N°** : 1401

**H.I. nr** : 423

**ADR - Class** : 4.3

**Labelling - Transport** : 4.3 : Contact with water liberates highly flammable gases.

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com

**Oxford**  
Range of  
Laboratory Chemicals

## Section 14: Transport Information (Continued)

### Sea transport (IMDG) [English only]

**Proper shipping name :** CALCIUM

**UN N° :** 1401

**IMO-IMDG - Class or division :** 4.3 : Contact with water liberates highly flammable gases

**IMO-IMDG - Packing group :** II

### Air transport (ICAO-IATA) [English only]

**Proper shipping name :** CALCIUM

**UN N° :** 1401

**IATA - Class or division :** 4.3 : Contact with water liberates highly flammable gases.

**IATA - Packing group :** II

## Section 15: Other Regulatory Information

**Federal and State Regulations:** Pennsylvania RTK: Calcium Massachusetts RTK: Calcium TSCA 8(b) inventory: Calcium.

### **Other Regulations:**

**OSHA:** Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### **Other Classifications:**

**WHMIS (Canada):**

**CLASS B-6:** Reactive and very flammable material. **CLASS E:** Corrosive solid.

**DSCL (EEC):**

Irritating to eyes and skin.

### **HMIS (U.S.A.):**

**Health Hazard:**3

**Fire Hazard:** 3

**Reactivity:** 2

**Personal Protection:** E

# OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

**Regd Office:** Unit no 12, 1st Floor,  
Neminath Industrial Estate No.6,  
Navghar, Vasai (East), Palghar - 410210.  
Maharashtra, INDIA.

**Tel:** +91 250 2390032 / 2390989 / 2390990  
**Email:** sales@oxfordlabchem.com /  
info@oxfordlabchem.com  
**Web:** www.oxfordlabchem.com



## Section 15: Other Regulatory Information (Continued)

### National Fire Protection Association (U.S.A.):

**Health:**3

**Flammability:** 3

**Reactivity:** 2

**Specific hazard:**

### Protective Equipment:

Gloves. Lab coat. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

## Section 16 - Additional Information

References: Not available.

Other Special Considerations: Not available.

### *Disclaimer:*

\*\*\*\*\*

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.