ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



MATERIAL SAFETY DATA SHEET

N,N-DIMETHYL ANILINE 99.5% AR

MSDS CAS: 121-69-7

Section 1: Chemical Product and Company Identification

Section 1: Chemical Product

Product Name: N,N-DIMETHYL ANILINE AR

CAS#:121-69-7 Synonym:Xylidine

Chemical Name: N,N-Dimethyl Aniline AR

Chemical Formula: C₈H₁₁N

Brand: OXFORD

Details Of The Supplier Of The Safety Data Sheet:

Company identification: OXFORD LAB FINE CHEM LLP

Unit. No. 12, 1st Floor, Neminath Industrial Estate No. 6,

Navghar, Vasai (East). Palghar - 401 210.

Mumbai, Maharashtra, INDIA.

Tel: 91-250-2390989

Tel/Fax: 91-250-2390032

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS#	% by Weight
N,N-Dimethyl Aniline AR	121-69-7	99.5%

<u>Toxicological Data on Ingredients:</u>N,N-Dimethylaniline: ORAL (LD50): Acute: 1410 mg/kg [Rat]. DERMAL (LD50): Acute: 1770 mg/kg [Rabbit].

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of ingestion. Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of inhalation.

Potential Chronic Health Effects:

Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of inhalation. CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to blood, kidneys, liver. Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion:

Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion:Not available.

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



Section 5: Fire and Explosion Data

Flammability of the Product: Combustible.

<u>Auto-Ignition Temperature</u>: 371°C (699.8°F)

Flash Points: CLOSED CUP: 63°C (145.4°F).

Flammable Limits: LOWER: 1.1%

Products of Combustion:

These products are carbon oxides (CO, CO2).

Fire Hazards in Presence of Various Substances: Not available.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: Not Available.

Special Remarks on Explosion Hazards: Not Available.

Section 6: Accidental Release Measures

<u>Small Spill:</u>

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill:

Combustible material. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



Section 7: Handling and Storage

Precautions:

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes.

Storage:

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. Keep container dry. Keep in a cool place.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection:

Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

 $TWA: 5 \ CEIL: 10 \ (ppm) \ from \ ACGIH \ (TLV) \ TWA: 25 \ CEIL: 50 \ (mg/m3) \ from \ ACGIHConsult local authorities for acceptable exposure limits.$

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid. (Oily liquid.)

Odor : amine-like odor..
Taste : Not available.
Molecular Weight : 121.18 g/mole
Color : Yellow or brown.

pH (1% soln/water) : 7.4.

Boiling Point : 76 - 78 °C

Melting Point : 2.5°C (36.5°F)

Critical Temperature : Not available.

Specific Gravity : 0.956 (Water = 1)

Vapor Pressure : 1 mm of Hg (@ 20°C)

Vapor Density

Volatility

Odor Threshold

Water/Oil Dist. Coeff.

Ionicity (in Water)

: 4.17 (Air = 1)
: Not available.
: Not available.
: Not available.

Dispersion Properties: See solubility in water, methanol, diethyl ether, and acetone.

Solubility : Soluble in methanol, diethyl ether, and acetone. Partially soluble in cold water.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability:Not available.

<u>Incompatibility with various substances:</u>Not available.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: No.

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



Section 11: Toxicological Information

Routes of Entry: Dermal contact. Eye contact. Inhalation. Ingestion.

Toxicity to Animals:

Acute oral toxicity (LD50): 1410 mg/kg [Rat]. Acute dermal toxicity (LD50): 1770 mg/kg [Rabbit].

Chronic Effects on Humans: The substance is toxic to blood, kidneys, liver.

Other Toxic Effects on Humans:

Very hazardous in case of ingestion. Hazardous in case of skin contact (irritant, permeator), of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

Section 12: Ecological Information

Ecotoxicity:Not available.

BOD5 and **COD:**Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



Section 14: Transport Information

Land transport (ADR-RID)

Proper shipping name: N,N-DIMETHYLANILINE

UN N°: 2253 H.I. nr: 60

ADR - Class: 6.1

Labelling - Transport: 6.1: Toxic substances.

ADR - Group: II

Sea transport (IMDG) [English only]

Proper shipping name: N,N-DIMETHYLANILINE

UN N°: 2253

IMO-IMDG - Class or division: 6.1: Toxic substances.

IMO-IMDG - Packing group: II

Air transport (ICAO-IATA) [English only]

Proper shipping name: N,N-DIMETHYLANILINE

UN N°: 2253

IATA - Class or division: 6.1: Toxic substances.

IATA - Packing group: II

Section 15: Other Regulatory Information

Federal and State Regulations:

Pennsylvania RTK: N,N-Dimethylaniline Massachusetts RTK: N,N-Dimethylaniline TSCA 8(b) inventory: N,N-Dimethylaniline SARA 313 toxic chemical notification and release reporting: N,N-Dimethylaniline

CERCLA: Hazardous substances.: N,N-Dimethylaniline

Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990 Email: sales@oxfordlabchem.com / info@oxfordlabchem.com Web: www.oxfordlabchem.com



Section 15: Other Regulatory Information (Continued)

Other Classifications:

WHMIS (Canada): CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F). CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC). CLASS D-2B: Material causing other toxic effects (TOXIC).

DSCL (EEC): R21/22- Harmful in contact with skin and if swallowed. R36/38- Irritating to eyes and skin.

HMIS (U.S.A.): Health Hazard: 3 Fire Hazard: 2

Reactivity: 0

Personal Protection: h

National Fire Protection Association (U.S.A.):

Health: 3

Flammability:2 Reactivity: 0 Specific hazard:

Protective Equipment:

Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

Section 16 - Additional Information

References: Not available.

Other Special Considerations: Not available.

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor, Neminath Industrial Estate No.6, Navghar, Vasai (East), Palghar - 410210. Maharashtra, INDIA. Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine ChemLLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.