

TECHNICAL DATA SHEET

Mannitol Selenite Broth w/Brilliant Green (Twin Pack)

Principle

Selenite-containing media for the enrichment of Salmonella was first described by Guth

(1). This medium was further modified by Leifson

(2) for the enrichment and isolation of Salmonella from clinical specimens. Mannitol Selenite Broth w/Brilliant green is prepared as per the formulation of Stocks and Osborne

(3). This medium is recommended for isolation or enrichment of Salmonella from small inocula. Also the strong buffering capacity of the medium prevents damage to cultures due to over-acidification when mannitol is fermented. HM peptone and yeast extract provides amino acids and other nitrogenous substances to Salmonella. Mannitol serves as fermentable carbohydrate, a sugar alcohol which also helps in maintaining a uniform pH along with the phosphates. Phosphates also lessen the toxicity of selenite. Do not incubate longer than 24 hours as the inhibitory effect of selenite is reduced after 6-12 hours incubation

(4). Subculture broth from the upper third of the broth column to greater or lesser inhibitory selective agars.

Use: For the enrichment of Salmonellae from faeces, food and other materials.

Contents*

Ingredients	Gram/ Ltr
Part A	-
Peptone #	5.000
Yeast extract	5.000
Sodium taurocholate	1.000
Brilliant green	0.005
Potassium dihydrogen phosphate	3.400
Dipotassium hydrogen phosphate	4.350
Mannitol	5.000
Part B	-
Sodium selenite	4.000
pH at 25°C	7.0±0.2

****Formula adjusted, standardized to suit performance parameters**

Equivalent to Meat peptone

This document has been produced electronically and it is valid without signature.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Directions Suspend 4.0grams of Part B in 1000 ml purified/distilled water. Add 23.75grams of Part A. Mix well. If desired add 0.5g/L sodium sulpha pyridine, warm to dissolve the medium completely. Dispense as desired and sterilize in a boiling water bath or free flowing steam for 10 minutes. **DO NOT AUTOCLAVE.** Excessive heating is detrimental. Discard the prepared medium if large amount of selenite is reduced (indicated by red precipitate at the bottom of tube/bottle).

Specimens' types analyzed

Clinical samples - Faeces; Food samples; Water samples

Precautions to be taken

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

Quality Control

Appearance	Part A : Cream to pale green homogeneous free flowing powder Part B : White to cream homogeneous free flowing powder
Color and clarity of ready medium	Green colored Opalescent to slightly hazy solution of complete medium
Reaction	Reaction of 2.37% w/v of Part A + 0.4% w/v of Part B at 25°C. pH : 7.0±0.2
pH	6.80-7.20

This document has been produced electronically and it is valid without signature.

www.oxfordlabchem.com

Different Microbial Response

Cultural characteristics observed when subcultured on MacConkey Agar (M081), after an incubation at 35-37°C for 18-24 hours.

Organism	ATCC	Inoculum (CFU)	Recovery (increase in numbers)	Colour of Colony
<i>Escherichia coli</i>	25922	50-100	Little-None	Pink With Bile Precipitate
<i>Salmonella Enteritidis</i>	13076	50-100	Luxuriant	Colourless
<i>Salmonella Paratyphi B</i>	8759	50-100	Luxuriant	Colourless
<i>Salmonella Typhi</i>	6539	50-100	Luxuriant	Colourless

Storage and Shelf Life: The product is highly hygroscopic; keep the container tightly closed at all times and store it properly as per the conditions mentioned on the label. The declared expiry is valid only when stored as per the conditions mentioned on the label. Note: Sterilize media immediately after reconstitution.

Disposal: To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

Reference

1. Guth F., 1916, Zentralbl. Bakteriol. Parasitenk. Infektionskr. Hyg. Abt. 77:487
2. Leifson E., 1936, Am. J. Hyg., 24 (2):423.
3. Stokes J. L. and Osborne W. W., 1955, Appl. Microbiol., 3-4,217
4. MacFaddin J. F., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. 1, Williams and Wilkins, Baltimore.
5. Isenberg, H.D. Clinical Microbiology Procedures Handbook 2nd Edition.
6. Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock, D.W. (2015) Manual of Clinical Microbiology, 11th Edition. Vol. 1.
7. Salfinger Y., and Tortorello M.L. Fifth (Ed.), 2015, Compendium of Methods for the Microbiological Examination of Foods, American Public Health Association, Washington, D.C.
8. Lipps WC, Braun-Howland EB, Baxter TE, eds. Standard methods for the Examination of Water and Wastewater, 24th ed. Washington DC:APHA Press; 2023.

This document has been produced electronically and it is valid without signature.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.