

TECHNICAL DATA SHEET

SS Agar, Modified (Salmonella Shigella Agar Modified)

Principle

Salmonella Shigella agar composed of proteose peptone, meat extract, lactose, bile salts, sodium citrate, sodium thio-sulphate, ferric citrate, neutral red, brilliant green and agar. Proteose peptone and meat extract provide essential growth nutrients. Lactose is the fermentable carbohydrate. Brilliant green, bile salts and thiosulphate provide selectively and inhibit gram-positive and coliform organisms. Certain organisms reduce sodium thiosulphate to sulphite and H₂S gas. Sodium thiosulfate and ferric citrate allow the detection of hydrogen sulfide by the production of colonies with black centers. The elevated level of sodium citrate increases the inhibition of gram positive and associated microorganism. Neutral red and brilliant green are present as pH indicators.

Use: A modified medium, which provides better growth of Salmonella and Shigella species.

Contents*

Ingredients	Gram/Litre
Proteose peptone	5.000
Meat extract#	5.000
Lactose	10.000
Bile salts mixture	5.500
Sodium citrate	10.000
Sodium thio-sulphate	8.500
Ferric citrate	1.000
Neutral red	0.025
Brilliant green	0.033
Agar	12.000
pH at 25°C	7.2 ±0.2

*** Formula adjusted for optimum performance and
parameters # Equivalent to beef extract**

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Directions: Dissolve 57.00 grams in 1000 ml distilled water. Boil to dissolve the medium completely for sterilization. DO NOT AUTOCLAVE, cool it to 42-45 °C and distribute aseptically in to the plates. Ensure complete solidification and inoculate aseptically.

Specimens types analyzed

Pharmaceutical samples, clinical and non-clinical samples etc.

Precautions to be taken

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

Quality Control

Appearance	light buff to pink colored free flowing, homogeneous powder
Reaction of 5.70% solution	7.2 ±0.2 at 25 °C
pH	7.00- 7.40
Gelling	Firm comparable with 1.20 % agar gel
Color and clarity of ready medium	Red-orange, slightly opalescent gel
Growth Promotion properties	Best at ≤ 100 CFU at 32-37 °C for 18-72 h
Indicative properties	Optimum at ≤ 100 CFU at 32-37 °C for 18-48 h
Negative control	Performed using sterile distilled water

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Different Microbial Response

Organism	Inoculum	Growth	Color	Recovery	Incubation Temperature
<i>Salmonella typhimurium</i> (ATCC 14028)	50-100	Good	Black centered colorless	70-80%	33-37°C
<i>Shigella flexneri</i> (ATCC 12022)	50-100	Good	Colorless	70-80%	33-37°C
<i>Escherichia coli</i> (ATCC 8739)	50-100	Fair	Pink to colorless with bile precipitate	30-40%	33-37°C

Storage and Shelf Life: The product is highly hygroscopic; keep the container tightly closed at all times and store it properly as per the conditions mentioned on the label. The declared expiry is valid only when stored as per the conditions mentioned on the label.

Note: Sterilize media immediately after reconstitution.

Disposal: To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Reference

1. Atlas, R. M. (2005). *Handbook of media for environmental microbiology*. CRC press.
2. Baird R.B., Eaton A.D., and Rice E.W., (Eds.), (2015), *Standard Methods for the Examination of Water and Wastewater*, 23rd Ed., APHA, Washington, D.C.
3. *Difco Manual* (1998). 11th Edition. Difco Laboratories., Division of Becton Dickinson and Company, Sparks, Maryland, USA.
4. Jorgensen J. H., Pfaller M. A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock., D.W. (2015) *Manual of Clinical Microbiology*, 11th Edition. Vol. 1.
5. Rand, M. C., Arnold E. Greenberg, and Michael J. Taras, (1976), *Standard methods for the examination of water and wastewater*. Prepared and published jointly by American Public Health Association, American Water Works Association, and Water Pollution Control Federation.
6. Wehr H. M. and Frank J. H., (2004), *Standard Methods for the Microbiological Examination of Dairy Products*, 17th Ed., APHA Inc., Washington, D.C

Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.