

TECHNICAL DATA SHEET

King's Medium B Broth

Principle

Kings B medium is described by King et al., (1954), for non-selective isolation of pigment producing *Pseudomonas Species*. Media is composed of proteose peptone, dipotassium hydrogen phosphate and magnesium sulphate. Proteose peptone provide nitrogen and other necessary trace nutrients for growth of bacteria. Dipotassium phosphate and magnesium sulphate enhances pigment production. The glycerol serves as carbon source.

Use: For the detection of pigment production by *Pseudomonas* species.

Contents*

Ingredients	Gram/Litre
Proteose Peptone	20.00
Dipotassium hydrogen phosphate	1.50
Magnesium sulphate	1.50
pH at 25°C	7.2 ±0.2

* Formula adjusted for optimum performance and parameters

Directions: Dissolve 23.00 grams in 1000 ml distilled water containing 15ml glycerol. Boil to dissolve the medium completely and sterilize by autoclaving at 15 lbs. pressure (121 °C) for 15 min, cool it to 42-45°C and inoculate test sample aseptically.

Specimens' types analyzed

Food, dairy and water samples, pharmaceutical samples, clinical and non-clinical samples etc.

Precautions to be taken

These microbial media are intended for the in-vitro use only. All the handling, experiments, storage, and discarding should be performed with the help of skilled and knowledgeable technicians and as per the established guidelines. The material should be disposed only after proper sterilization by autoclaving. Please go through the MSDS of the media to avoid any accidents or in emergency.

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Performance and Evaluation

The expected performance of the medium is liable to use as per the direction on the label when stored at optimum conditions and within expiry date.

Quality Control

Appearance	Beige colored free flowing, homogeneous powder
Reaction of 2.3% solution	7.2 ±0.2 at 25 °C
pH	7.00- 7.40
Color and clarity of ready medium	Light amber colored opalescent solution
Growth Promotion properties	Best at ≤ 100 CFU at 32-37 °C for 18-72 h
Indicative properties	Optimum at ≤ 100 CFU at 32-37 °C for 18-48 h
Negative control	Performed using sterile distilled water

Different Microbial Response: Cultural characteristics observed after incubation at 33-37°C for 18-24 hours. Inoculum 50-100 CFU.

Organism	ATCC	Growth	Pigment production
<i>Pseudomonas aeruginosa</i>	27853	Luxuriant	Greenish yellow
<i>Pseudomonas aeruginosa</i>	10145	Luxuriant	Greenish yellow

Storage and Shelf Life: The product is highly hygroscopic; keep the container tightly closed at all times and store it properly as per the conditions mentioned on the label. The declared expiry is valid only when stored as per the conditions mentioned on the label.

Note: Sterilize media immediately after reconstitution.

Disposal: To avoid the contamination or propagation of any hazardous microbes the used, unusable or modified preparation of this product must be disposed after autoclaving after completion of task.

This document has been produced electronically and it is valid without signature.

www.oxfordlabchem.com

OXFORD LAB FINE CHEM LLP

ISO 9001-2008 Certified Company

Regd Office: Unit no 12, 1st Floor,
Neminath Industrial Estate No.6,
Navghar, Vasai (East), Palghar - 410210.
Maharashtra, INDIA.

Tel: +91 250 2390032 / 2390989 / 2390990
Email: sales@oxfordlabchem.com /
info@oxfordlabchem.com
Web: www.oxfordlabchem.com



Reference

1. Baird R.B., Eaton A.D., and Rice E.W., (Eds.), (2015), *Standard Methods for the Examination of Water and Wastewater*, 23rd Ed., APHA, Washington, D.C.
2. Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S and Warnock., D.W. (2015) *Manual of Clinical Microbiology*, 11th Edition. Vol. .1
3. King, E. O., M. K. Ward, and E. E. Raney. (1954). *Two simple media for the demonstration of pyocyanin and fluorescein*. J. Lab.Clin. Med. 44:301.

Disclaimer:

The information contained herein in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Oxford Lab Fine Chem LLP makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Oxford Lab Fine Chem LLP will not be responsible for damages resulting from use of or reliance upon this information.

This document has been produced electronically and it is valid without signature.

www.oxfordlabchem.com